1-1703532-1 ✔ ACTIVE

AMP | Timer Connector System

TE Internal #: 1-1703532-1

14 V, 2 Position, Automotive Housing for Male Terminals, Wire-to-Wire, 9.5 mm [.374 in] Centerline, Black, Wire & Cable, Power, Timer Connector System

View on TE.com >

Automotive Parts > Automotive Connectors > Automotive Housings > Timer Connector Housing







Nominal Voltage Architecture: **14 V**

Connector & Housing Type: **Housing for Male Terminals**

Number of Positions: **2**

Sealable: **No**

Operating Temperature Range: **-40 – 130 °C [-40 – 266 °F]**

All Timer Connector Housing (436)

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector & Housing Type	Housing for Male Terminals
Sealable	No
Primary Locking Feature	Locking Lance
Connector System	Wire-to-Wire
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	2
Number of Rows	1

Electrical Characteristics

Operating Voltage	14 VDC

Nominal Voltage Architecture	14 V

Body Features

Cable Exit Angle	180 °
Primary Product Color	Black
Connector & Keying Code	I

Contact Features

Contact Size	5.8mm
Contact Type	Tab
Mating Tab Width	5.8 mm[.228 in]
Contact Current Rating (Max)	40 A

Mechanical Attachment

Strain Relief	Without
Terminal Position Assurance	No
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PBT GF
Centerline (Pitch)	9.5 mm[.374 in]

Dimensions

Product Width	52 mm[2.04 in]
Product Length	30 mm[1.18 in]
Connector Height	21.55 mm[.848 in]

Usage Conditions

Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]
Operating Temperature (Max)	130 °C[266 °F]

Operation/Application

Circuit Application	Power

Industry Standards

IP Rating	IPX9K
UL Flammability Rating	UL 94HB

Packaging Features

Packaging Quantity	800
Packaging Method	Box

Other

Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles'(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts


TE Part # 1-1703531-1
2POS,TAB 5.8X0.8,TAB HSG, RAD SEAL

TE Part # 1-964862-1
VERRIEGLUNG



TE Part # 964310-1
TAB A 5.8x0.8 CONTACT CF SWS Sn

Also in the Series | Timer Connector System



Automotive Connector Locks & Position Assurance(15)




Automotive Housings(186)




Automotive Seals & Cavity Plugs(32)



Automotive Signal & Power Connector Housings(136)



Crimp Terminal Housings(13)



Other Automotive Connector Accessories(1)

Customers Also Bought



TE Part #368270-1
CLIP FOR 090III MLC SLOT TYPE




TE Part #CAT-T4827-T273
TIMER, RECEPTACLE AND TAB



TE Part #1534159-1
TAB HOUSING 2.8 4P,RD



TE Part #1719043-1
SINGLE WIRE SEAL,GREEN



TE Part #1897209-2
MCP HYB 4P CAP HSG



TE Part #2103321-2
3p Inner Hsg, Split Hdr, Key B, HVA280

Documents

Product Drawings

2POS,TAB 5.8X0.8,TAB HSG,ASSY

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1703532-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-1703532-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1703532-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

889759_3_Timer_Interconnection_System

English

ENG_CS_889759_3_Timer_Interconnectio

English