160134-2 ✔ ACTIVE

TE Internal #: 160134-2

Closed Ring Tongue Terminal, 12 – 10 AWG, 1/4 Stud, 5.3 mm [.209 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated

View on TE.com >

Terminals & Splices > Ring Terminals







Ring Terminal Product Type: **Closed Ring Tongue Terminal**

Wire Size: **6529 – 10382 CMA**

Stud Size: **1/4**

Features

Product Type Features

Shape Description	Circular/Oval
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	1/4
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Number of Holes	1

Body Features

Product Weight	.309 g

Contact Features

Contact Base Material	Brass
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	None

Mechanical Attachment

Wire Insulation Support	With

Dimensions

	.15 in
Wire Size	6529 – 10382 CMA
Stud Diameter	5.3 mm[.209 in]
Tongue Thickness	.76 mm[.03 in]
Product Length	24.13 mm[.95 in]
Barrel Inside Diameter	2.66 mm, 4.44 mm[.105 in][.175 in]
Compatible Insulation Diameter (Max)	5.31 mm[.209 in]
Compatible Insulation Diameter Range	3.8 – 5.3 mm[.15 – .209 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper

Industry Standards

Government Qualified Terminal	No

Packaging Features

Packaging Quantity	2200
Packaging Method	Strip/Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC

	Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 2150391-2
OCEAN_2.0_Applicator-E-180F250F-REA



TE Part # 150520-2
RT .197 DIA TERMINAL 16-13 AWG TPBR




TE Part # 280268-2
RING TONGUE 4-6MM2 0.0276X0.650 TPBR



TE Part # 160548-2
RING TONGUE 22-20 AWG .0120 X .290 PTPBR



TE Part # 280261-2
OPEN BARREL RINGTON



TE Part # 7-2150391-7
OCEAN_2.0_SPARE_PART_KIT-180F250F



TE Part # 153261-3
SHAKE PROOF RING TONGUE



TE Part # 280267-2
COSSE RONDE 12 10

Customers Also Bought



TE Part #EH2296-000
DWFR-8/2-0-STK



TE Part #160163-2
RING TONGUE WITH IS 3.1-5.3 MM2 TPBR



TE Part #160181-2
RING TONGUE IS 3.1-5.3 MM2 TPBR




TE Part #160859-2
FF 250 TAB 0.5-1.0MM2 TPBR



TE Part #163300-6
MATENLOK SOCKET TP



TE Part #175149-2
AMP UNIVE. POWER CONN TAB CONT



TE Part #176282-1
AMP UNIVERSAL POWER CAP 2P



TE Part #180464-2
250 FASTON,FLAG,REC.,14-17AWG, LATON



TE Part #454575-4
BLADE, SHEAR



TE Part #1-640415-0
UMNL KEYING PLUG V0

Documents

Product Drawings

RING TONGUE WITH IS 12-10 AWG TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_160134-2_R.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_160134-2_R.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_160134-2_R.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English