# 1612281-1 ✔ ACTIVE

AMP | 0.64/025 Connector System


TE Internal #: 1612281-1

Gray, PBT, Lever, -40 – 140 °C [-40 – 284 °F], 0.64/025 Connector System

View on TE.com >

Automotive Parts > Automotive Connector Accessories > Other Automotive Connector Accessories







Primary Product Color: **Gray**

Primary Product Material: **PBT**

Automotive Connector Accessory Type: **Lever**

Operating Temperature Range: **-40 – 140 °C [ -40 – 284 °F ]**

## Features

### Product Type Features

| | |
|---|---|
| Automotive Connector Accessory Type | Lever |

### Body Features

| | |
|---|---|
| Primary Product Color | Gray |
| Primary Product Material | PBT |

### Usage Conditions

| | |
|---|---|
| Operating Temperature Range | -40 – 140 °C[-40 – 284 °F] |

### Packaging Features

| | |
|---|---|
| Packaging Method | Bag |
| Packaging Quantity | 40 |

## Product Compliance

For compliance documentation, visit the product page on TE.com>

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |

| | |
|---|---|
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250)<br>Candidate List Declared Against: JUNE 2025 (250)<br>Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



TE Part # 1612275-3
SEALED 0.64/2.3II 126POS PLUG

## Also in the Series | 0.64/025 Connector System




Automotive Connector Locks & Position Assurance(1)



Automotive Housings(174)




Automotive Seals & Cavity Plugs(2)



Other Automotive Connector Accessories(4)

## Customers Also Bought



TE Part #CAT-T319-CH8172
TH/.025 CONNECTOR SYSTEM, HOUSING



TE Part #2013360-2
0.50/1.0 SEALED WIRE COVER 140POS



TE Part #2069957-1
0.50/1.0 SEALED WIRE COVER 140P TYPE-II



TE Part #1554930-1
0.50/1.0 SEALED PLUG ASSY 140POS



TE Part #2822015-1
0.5 SERIES CONN 30POS PLUG ASSY

## Documents

### Product Drawings

SEALED 0.64/2.3II 126POS LEVER

Japanese

### CAD Files

Customer View Model

ENG_CVM_CVM_1612281-1_K.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1612281-1_K.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1612281-1_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

### Product Specifications

CRIMPING OF SEALED 0.64 RECEPTACLE

Japanese

Application Specification

Japanese

### Instruction Sheets

Instruction Sheet (non U.S.)

English

## Instruction Sheet (non U.S.)

Japanese