# 1-926657-5 ✔ ACTIVE

AMPMODU | AMPMODU LOCKING CLIP

TE Internal #: 1-926657-5

15 Position, Receptacle, Housing, Crimp, Wire-to-Board, UL 94V-0, 2.54 mm [.1 in] Centerline, 1 Row, Wire & Cable, Signal, AMPMODU LOCKING CLIP

View on TE.com >

Connectors > Rectangular Connectors > Standard Rectangular Connectors



Connector Product Type: **Housing**

Connector & Housing Type: **Receptacle**

Connector System: **Wire-to-Board**

UL Flammability Rating: **UL 94V-0**

Number of Positions: **15**

## Features

### Product Type Features

| | |
|---|---|
| Connector Product Type | Housing |
| Connector & Housing Type | Receptacle |
| Connector System | Wire-to-Board |
| Connector & Contact Terminates To | Wire & Cable |

### Configuration Features

| | |
|---|---|
| Number of Positions | 15 |
| Number of Rows | 1 |

### Body Features

| | |
|---|---|
| Primary Product Color | Black |

### Contact Features

| | |
|---|---|
| Contact Type | Socket |
| Contact Current Rating (Max) | 3 A |

### Termination Features

| | |
|---|---|
| Termination Method to Wire & Cable | Crimp |

### Mechanical Attachment

| | |
|---|---|
| Strain Relief | Without |
| Mating Retention | Without |
| Connector Mounting Type | Cable Mount (Free-Hanging) |

### Housing Features

| | |
|---|---|
| Housing Entry Configuration | Both Ends Closed |
| Centerline (Pitch) | 2.54 mm[.1 in] |
| Housing Material | PBT GV15 |

### Dimensions

| | |
|---|---|
| Row-to-Row Spacing | 2.54 mm[.1 in] |

### Usage Conditions

| | |
|---|---|
| Operating Temperature Range | -65 – 105 °C[-85 – 221 °F] |

### Operation/Application

| | |
|---|---|
| Circuit Application | Signal |

### Industry Standards

| | |
|---|---|
| UL Flammability Rating | UL 94V-0 |

### Packaging Features

| | |
|---|---|
| Packaging Method | Carton |
| Packaging Quantity | 1000 |

## Product Compliance

For compliance documentation, visit the product page on TE.com>


| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250)<br>Candidate List Declared Against: JUNE 2025 (250)<br>Does not contain REACH SVHC |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part

numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



TE Part # 5-867052-1
LOCKING CLIP CONT ASSY .025 SQ




TE Part # 87124-1
LOCKING CLIP CONT ASSY .025 SQ



TE Part # 867052-2
LOCKING CLIP CONT ASSY .025 SQ



TE Part # 5-87124-2
LOCKING CLIP CONT ASY .025 SQ




TE Part # 87191-1
LOCKING CLIP ASSY .025 SQ LP




TE Part # 5-87191-2
LOCKING CLIP ASSY .025 SQ LP




TE Part # 5-87165-2
LOCKING CLIP ASSY .025 SQ LP




TE Part # 87165-1
LOCKING CLIP ASSY .025 SQ LP



TE Part # 87165-2
LOCKING CLIP ASSY .025 SQ LP



TE Part # 867052-1
LOCKING CLIP CONT ASSY .025 SQ




TE Part # 87190-1
LOCKING CLIP CONT ASSY .025 SQ

## Also in the Series | AMPMODU LOCKING CLIP



Connector Contacts(5)



Connector Hardware(1)




Insertion & Extraction Tools(2)



Rectangular Connector Housings(53)



Rectangular Power Connectors(32)




Standard Rectangular Connectors(53)



Wire-to-Board Connector Assemblies & Housings(53)

## Customers Also Bought



TE Part #170366-1
MINI UNIVERSAL M-N-L SOCKET LP




TE Part #172337-1
MINI UMNL PLUG HOUSING 3P




TE Part #172338-1
MINI UMNL PLUG HOUSING 4P



TE Part #794611-1
MICRO MNL RPT CNT,LS PC,TIN




TE Part #826648-2
2P AMPMODU II STIFT LEI



TE Part #926657-4
LOCKING CLIP HSG



TE Part #928205-2
2P TELFIX BU-GEH



TE Part #963205-1
SEAL



TE Part #1445022-2
MICRO MNL RECEPT HSG SINGLE R



TE Part #1658612-4
09 POS HDF RCPT, MS, LEAD FREE

## Documents

### Product Drawings

15P LOCKG CLIP GEH

English

### CAD Files

Customer View Model

ENG_CVM_1-926657-5_E1.3d_igs.zip

English

Customer View Model

ENG_CVM_1-926657-5_E1.3d_stp.zip

English

Customer View Model

ENG_CVM_1-926657-5_E1.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

## Agency Approvals

UL Report

English