1-968317-3 ✔ ACTIVE

MQS

TE Internal #: 1-968317-3

24 Position, Black, Shield Assembly, PBT GF, -40 – 120 °C [-40 – 248 °F]

View on TE.com >

Automotive Parts > Automotive Connector Accessories > Automotive Connector Caps & Covers



Number of Positions: **24**

Primary Product Color: **Black**

Protection & Strain Relief Accessory Type: **Shield Assembly**

Primary Product Material: **PBT GF**

Strain Relief: **Without**

Features

Product Type Features

Sealable	No
Protection & Strain Relief Accessory Type	Shield Assembly

Configuration Features

Compatible With Connector Code	A
Number of Positions	24

Body Features

Primary Product Color	Black
Primary Product Material	PBT GF

Mechanical Attachment

Strain Relief	Without

Dimensions

Compatible Cable Bundle Diameter Range	15.2 mm[.598 in]

Usage Conditions

Operating Temperature (Max)	65 °C, 70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C[248 °F]
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]

Industry Standards

UL Flammability Rating	UL 94HB

Packaging Features

Packaging Quantity	2000

Other

Serviceable	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # CAT-M8793-CH8172
MQS, CONNECTOR HOUSING

TE Part # 968309-1
MQS HEBEL, GRAU

TE Part # 1-968308-2
MQS COVER 24P


Customers Also Bought




TE Part #927768-9
JPT REC 2.8 Contact SRC Au



TE Part #CAT-M8793-CH8172
MQS, CONNECTOR HOUSING



TE Part #936394-2
2.8MM SLD 6P PLUG ASSY



TE Part #2-968307-2
JPT GEH KOMPL 9P



TE Part #1-2393304-1
15POS,AMP MCP 2.8,REC HSG, UNSLD,COD A



TE Part #282435-2
MODULAR RELAY HOUSING

Documents

Product Drawings

MQS ABDECKKAPPE 24P

English

CAD Files

Customer View Model

ENG_CVM_CVM_1-968317-3_C.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-968317-3_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-968317-3_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

STEUERGERATESTECKER 134-POL. MICRO QUADLOCK SYSTEM JUNIOR POWER TIMER

English

Product Specification

English