2081899-1 ✔ ACTIVE


SMA

TE Internal #: 2081899-1

SMA Connector, Plug, 50 ohm, .047 Semi-Rigid or Flex Compatible With RF Cable Type, Screw, 27 GHz, Cable-to-Cable, 1 Position, Wire & Cable, SMA

View on TE.com >

Connectors > RF Connectors > Coax Connectors




RF Interface: **SMA**

RF Connector Style: **Plug**

Impedance: **50 Ω**

Compatible With RF Cable Type: **.047 Semi-Rigid or Flex**

RF Connector Coupling Mechanism: **Screw**

Features

Product Type Features

RF Interface	SMA
RF Connector Style	Plug
Compatible With RF Cable Type	.047 Semi-Rigid or Flex
Connector System	Cable-to-Cable
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	1
Number of Coaxial Contacts	1

Electrical Characteristics

Impedance	50 Ω

Body Features

Body Material	Stainless Steel
Body Material Finish	Passivated

Contact Features

RF Connector Center Contact Plating Thickness	.762 µm[30 µin]
RF Connector Center Contact Plating Material	Gold (Au)
RF Connector Center Contact Material	Beryllium Copper

Termination Features

Termination Method to Wire & Cable	Solder & Clamp

Mechanical Attachment

RF Connector Coupling Mechanism	Screw
RF Contact Captivation Method	Mechanical
Detent	Without

Housing Features

Body Orientation	Straight

Usage Conditions

Operating Temperature Range	-55 – 165 °C[-67 – 329 °F]

Operation/Application

Circuit Application	Signal
Operating Frequency Range	27 GHz

Packaging Features

Packaging Method	Bag & Box

Other

Dielectric Material	Polytetrafluoroethylene (PTFE)

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC

Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 2081898-1
EP-SMA,JACK,STRAIGHT,27GHZ,047 CABLE

Also in the Series | SMA



SMA RF Connectors(197)

Documents

Product Drawings

EP-SMA,PLUG,STRAIGHT,27GHZ,047 CABLE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2081899-1_1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2081899-1_1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2081899-1_1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Product Specification

English