211671-4 ✔ ACTIVE

AMPLIMITE

TE Internal #: 211671-4

78 Position D-Shaped Connector, Receptacle, Cable-to-Cable, Panel Mount, Shell Size 5, 2.29 mm [.09 in] Centerline, Wire & Cable, Signal

View on TE.com >

Connectors > D-Shaped Connectors



Number of Positions: **78**

Connector & Housing Type: **Receptacle**

Connector System: **Cable-to-Cable**

Connector Mounting Type: **Panel Mount**

Connector Shell Size: **5**

Features

Product Type Features

Connector & Housing Type	Receptacle
Connector System	Cable-to-Cable
Connector Shell Size	5
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	78
Power/Signal/Coax Combination	No

Body Features

Mating Retention Feature Material	Copper Alloy

Contact Features

Contact Type	Socket
Contact Size	Size 22
Contact Current Rating (Max)	5 A
Contact Options	Order Separately

Termination Features

Termination Method to Wire & Cable	Crimp

Mechanical Attachment

Mounting Hole Diameter	3.05 mm[.12 in]
Connector Mounting Type	Panel Mount
Mating Alignment	Without

Housing Features

Centerline (Pitch)	2.29 mm[.09 in]

Usage Conditions

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

Operation/Application

Circuit Application	Signal

Packaging Features

Packaging Method	Package

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) SVHC > Threshold: Octamethylcyclotetrasiloxane (D4) (5% in Component Part) **Article Safe Usage Statements:** Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides

on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Customers Also Bought



TE Part #206065-4
RECEPT ASSY,104 POSN,AMPLIMITE



TE Part #206066-4
PLUG ASSY,104 POSN,AMPLIMITE



TE Part #CAT-C339-H85913B
Power Resistors: Aluminium Housed, HSC




TE Part #7-1676481-4
CPF 0603 7K5 0.1% 25PPM 1K RL



TE Part #5-1879073-2
THS10 420R 5%



TE Part #8-1879224-6
CPF 0603 27K4 0.1% 25PPM 1K RL



TE Part #2311775-1
AMPL PLUG, HD22, R/A, 15P, S/L



TE Part #2311776-1
AMPL PLUG, HD22, R/A, 26P, THREADED

Documents

CAD Files

Customer View Model

ENG_CVM_CVM_211671-4_AC.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_211671-4_AC.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_211671-4_AC.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.