
215222-1 × OBSOLETE

TE Internal #: 215222-1

TE Internal Description: 4P/4C.MOD.JACK ASSY

View on TE.com >

Connectors > Modular Jacks & Plugs > RJ11 Connectors



Port Configuration: **Single Port**

Port Matrix Configuration: **1 x 1**

Connector Profile: **Standard**

Modular Jacks & Plugs Products: **RJ Type Jacks & Plugs**

Connector Contact Density: **Standard**

Features

Product Type Features

Wire Termination Style	110 Style Punch-Down
Connector Product Type	Connector Assembly
Connector System	Cable-to-Board, Cable-to-Panel
Modular Jacks & Plugs Products	RJ Type Jacks & Plugs
Modular Connector Style	Jack

Configuration Features

PCB Mount Orientation	Right Angle
Wiring Pattern	One-to-One, USOC
Port Configuration	Single Port
Port Matrix Configuration	1 x 1
Connector Contact Density	Standard
Number of Positions	4
Number of Loaded Positions	4

Body Features

Connector Profile	Standard
Modular Jack Latch Orientation	Standard - Latch Down

Contact Features

Contact Underplating Material	Nickel
Contact Base Material	Phosphor Bronze
Contact Mating Area Plating Material	Gold Flash over Palladium Nickel

Contact Mating Area Plating Material Thickness	.8 µm[31.5 µin]
PCB Contact Termination Area Plating Material	Tin-Lead
Contact Current Rating (Max)	1.5 A

Termination Features

Termination Method to Wire & Cable	Insulation Displacement (IDC)

Mechanical Attachment

Connector Mounting Type	Board Mount

Housing Features

Centerline (Pitch)	1.02 mm[.04 in]
Mating Entry Location	Side
Housing Color	Black
Housing Material	PBT GF

Operation/Application

Circuit Application	Signal
Shielded	No

Industry Standards

UL Flammability Rating	UL 94V-0
Performance Category	Cat 3

Packaging Features

Packaging Method	Box & Carton
Packaging Quantity	3000

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Customers Also Bought



TE Part #4-1377173-2
SMP 0-0165167-0



TE Part #7-1377173-8
SMP 0-0130171-0



TE Part #2-6437140-0
FSN-21A-8V1



TE Part #2-1377174-8
SMP 0-0324228-0



TE Part #6-1377173-9
SMP 0-0130008-0



TE Part #3-1377174-3
SMP 0-0165400-1



TE Part #1-1377175-9
SMP 0-0160834-2



TE Part #2-1377175-5
SMP 0-0141085-2



TE Part #151667-4
FF 375 REC TERMINAL 11-10 AWG PBR



TE Part #2103534-4
PLUG SUBASSY, D, HVA280

Documents

Product Drawings

4P/4C.MOD.JACK ASSY

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_215222-1_G.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_215222-1_G.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_215222-1_G.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Agency Approvals

UL Report

English