2016693-4 ✔ ACTIVE

RP-SMA, UMCC1

TE Internal #: 2016693-4


RP-SMA to UMCC1 Cable Assembly, .2 m [.656 ft], Black Cable, 9 GHz, 50 ohm, FEP Jacket, 30 AWG, 1.13 mm [.044 in] Diameter, RP SMA Jack End A

View on TE.com >

Cable Assemblies > RF Cable Assemblies







Cable Assembly Type: **RP-SMA to UMCC1**

Cable Assembly (End A): **RP SMA Jack**

Cable Assembly (End B): **UMCC GEN 1 Plug**

Cable Assembly Length: **.2 m [.656 ft]**

Coax Cable Type: **1.13mm Coax**

Features

Product Type Features

Cable Assembly Type	RP-SMA to UMCC1
Cable Assembly (End A)	RP SMA Jack
Cable Assembly (End B)	UMCC GEN 1 Plug
Coax Cable Type	1.13mm Coax

Configuration Features

Number of Connectorized Ends	2

Electrical Characteristics

Insulation Resistance	300 MΩ
Operating Voltage	15 V
Impedance	50 Ω

Signal Characteristics

Velocity of Propagation	70 %

Body Features

Body Plating Material	Gold
Conductor Material	Copper
Strain Relief Type	Heat Shrink Tubing
Conductor Plating Material	Gold
Jacket Material	FEP
Cable Color	Black

Contact Features

Ferrule Material	Brass

Dimensions

Outside Cable Diameter	1.13 mm[.044 in]
Wire Size	30 AWG

Usage Conditions

Operating Temperature Range	-45 – 85 °C[-49 – 185 °F]

Operation/Application

Operating Frequency Range	9 GHz

Other

Dielectric Material	FEP
Cable Assembly Length	.2 m[.656 ft]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold: Pb (4% in Component part) **Article Safe Usage Statements:** Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 2108923-3
External Ant., RP-SMA, Wi-Fi 6E(Black)




TE Part # 1909763-1
UMCC MICRO-COAX RECPT GEN 1 HIGHER LEVEL



TE Part # 2195899-1
External Ant,RP-SMA,Wi-Fi,2.4-2.5GHz



TE Part # 2108923-4
External Ant., RP-SMA, Wi-Fi 6E(White)



TE Part # 2337019-1
UMCC Micro-Coax receptacle, Gen 1

Also in the Series

Also in the Series


Customers Also Bought




TE Part #801262-SF
FN2070-36-08



TE Part #1-51864-0
TERMINAL,PIDG R IR 16 8



TE Part #62409-1
250 FASTON TAB TPBR



TE Part #640551-2
02P MTA156 COVER



TE Part #641945-1
03P UMNL STR/REL




TE Part #3-643817-2
02P MTA156 CONN ASSY 18AWG ORA



TE Part #5-1437624-3
PKES90B1/4=KNOB PLSTC FLUTED W



TE Part #8-1879512-5
CRGH0805 1% 1M0 0.33W



TE Part #2317404-2
AV19 SPM 3A FIXED RING R&G 24V



TE Part #080-0001
CABLE,U.FL to SMA Bulkhd 1.13mm Dia,105m

Documents

Product Drawings

RF CA,UMCC1 TO RPSMA JACK,1.13MM,L200MM

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2016693-4_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2016693-4_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2016693-4_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

English