2-2400680-3 ✔ ACTIVE

MATE-N-LOK | Universal MATE-N-LOK

TE Internal #: 2-2400680-3

TPA (Terminal Position Assurance), Black, Nylon, 3 Position, Universal MATE-N-LOK

View on TE.com >

Connectors > Connector Accessories > Connector Hardware







Hardware Accessory Function: **Position Assurance**

Connector Hardware Accessory Type: **TPA (Terminal Position Assurance)**

Primary Product Color: **Black**

Primary Product Material: **Nylon**

Number of Positions: **3**

Features

Product Type Features

Hardware Accessory Function	Position Assurance
Connector Hardware Accessory Type	TPA (Terminal Position Assurance)

Configuration Features

Number of Positions	3

Body Features

Primary Product Color	Black
Primary Product Material	Nylon

Housing Features

Centerline (Pitch)	6.35 mm

Usage Conditions

Compatible With Connector Style	Cap
Operating Temperature (Max)	150 °C[221 °F]
Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]

Industry Standards

UL Flammability Rating	UL 94V-0
Glow Wire Rating	Standard Part - Not Glow Wire

Packaging Features

Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 350767-1
03P UMNL CAP HSG V0




TE Part # 794900-1
03P UMNL HI TEMP CAP HSG



TE Part # 1-480701-0
03P UMNL CAP HSG NATL

Also in the Series | Universal MATE-N-LOK



Circular Power Connectors(2)



Connector Caps & Covers(34)




Connector Seals & Cavity Plugs(27)



Connector Strain Relief(7)



Insertion & Extraction Tools(4)




PCB Headers & Receptacles(285)



Rectangular Power Connectors(642)



Standard Circular Connectors(1)



Wire-to-Board Headers & Receptacles (285)


Customers Also Bought



TE Part #350810-1
05P UMNL CAP HSG



TE Part #643030-3
05P UMNL STR/REL V2 NATL



TE Part #1586861-6
6P PM PLUG VAL-U-LOK PM GW



TE Part #2-2400680-2
2P CAP TPA, UMNL



TE Part #2-2400680-4
4P CAP TPA, UMNL



TE Part #2-2400680-5
5P CAP TPA, UMNL



TE Part #2-2400681-2
2P PLUG TPA, UMNL



TE Part #2-2400681-3
3P PLUG TPA, UMNL



TE Part #2-2400681-4
4P PLUG TPA, UMNL



TE Part #2-2400681-5
5P PLUG TPA, UMNL

Documents

Product Drawings

3P CAP TPA, UMNL

English

CAD Files

Customer View Model

ENG_CVM_CVM_2-2400680-3_4.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_2-2400680-3_4.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-2400680-3_4.3d_igs.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

universal-mate-n-lok-tpa-flyer

English

Product Specifications

Product Specification

English