
226060-1 × OBSOLETE

TE Internal #: 226060-1

TE Internal Description: CONTACT,SUBMIN PCB

View on TE.com >

Connectors > Contacts > RF Contacts



Contact Type: **Socket**

Connector & Contact Terminates To: **Printed Circuit Board**

Contact Orientation: **Right Angle**

Contact Mating Area Plating Material: **Gold (Au)**

Contact Mating Retention: **With**

Features

Product Type Features

Connector & Contact Terminates To	Printed Circuit Board

Electrical Characteristics

Impedance Options	Non-Matched

Contact Features

Contact Base Material	Brass
Contact Type	Socket
Contact Orientation	Right Angle
Contact Mating Area Plating Material	Gold (Au)
Contact Mating Retention	With
Contact Current Rating (Max)	1 A

Mechanical Attachment

Contact Mating Retention Type	Locking Latch

Dimensions

PCB Thickness (Recommended)	1.57 mm[.062 in]

Operation/Application

Circuit Application	Signal

Packaging Features

Packaging Method	Carton

Other

Dielectric Material	TPX

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Pb (2.5% in Component Part) **Article Safe Usage Statements:** Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Customers Also Bought



TE Part #CAT-C339-A76B
SMD Power Resistor: 3 Watt, 1% Tol



TE Part #6609008-5
15EJH1=F8051 S0

Documents

Product Drawings

CONTACT,SUBMIN PCB

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_226060-1_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_226060-1_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_226060-1_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

COAXICON Contacts

English

RF Miniature Connectors

English

1307191 RF Coax Products Catalog

English

Product Specifications

Product Specification

English

Subminiature COAXICON Printed Circuit Board Contact

English

Product Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

AMP* SUBMINIATURE COAXICON* PCB CONTACTS

English