2-320572-4 ✔ ACTIVE


PIDG

TE Internal #: 2-320572-4

Closed Ring Tongue Terminal, 18 AWG, 5/16 / M8 Stud, 7.92 mm [.312 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PIDG

View on TE.com >

Terminals & Splices > Ring Terminals > PIDG Ring Tongue Terminals




Ring Terminal Product Type: **Closed Ring Tongue Terminal**

Wire Size: **1900 CMA**

Stud Size: **5/16, M8**

Stud Diameter: **7.92 mm [.312 in]**

All PIDG Ring Tongue Terminals (410)

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	5/16, M8
Sealable	No
Wire Insulation Support Retention Type	Insulation Restriction

Configuration Features

Number of Holes	1

Electrical Characteristics

Voltage Rating	300 V

Body Features

Product Weight	1.085 g
Stripe Color	White

Contact Features

Military Part Class	Class I

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	With

Dimensions

Wire Size	1900 CMA
Stud Diameter	7.92 mm[.312 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	27.38 mm[1.078 in]
Compatible Insulation Diameter (Max)	2.79 mm[.11 in]
Compatible Insulation Diameter Range	1.42 – 2.79 mm[.056 – .11 in]

Usage Conditions

Insulation Option	Partially Insulated
Operating Temperature Range	0 – 105 °C[0 – 221 °F]

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	Yes

Packaging Features

Packaging Quantity	1000
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250)

	Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 47386
DAHT PG PIDG 26-16 ASSY



TE Part # 58433-3
PRO CR ASSY, RBY IS9252



TE Part # 59170
T-HEAD PIDG SH 26-14 ASSY



TE Part # 47806-2
DIES PIDG 22-16 DIE SET



TE Part # 47386-4
DAHT PG PIDG 26-16 ASSY

TE Part # 2392021-2
RED BATTERY DAHT KIT 220V (47689-4)



TE Part # 58423-1
DIE, RBY IS9252



TE Part # 2063030-1
SDE DIESET, RBY, UL


TE Part # 2392021-1
RED BATTERY DAHT KIT 110V (47689-4)



TE Part # 169404
CERTI-LOK DIE



TE Part # 59300
T-HEAD PIDG PG 26-16 ASSY



TE Part # 69344
PIDG 26-22 DIE SET




TE Part # 525690
DAHT PG PIDG 20-18 ASSY

Also in the Series | PIDG



Compression Connectors(50)



Crimp Wire Pins, Tabs & Ferrules(39)




Hand Crimping Tools(2)



Knife Disconnects(11)



Ring Terminals(589)



Spade Terminals(228)



Special Purpose Terminals(1)




Splices(41)

Customers Also Bought



TE Part #T4033014031-000
M8.FMLE.PNLFRONT.3POS.STR



TE Part #7-745129-4
SHLDING FERRULE,PLTD,BULK PKG



TE Part #770024-1
02P UMNLII IN-LINE CAP HSG KIT



TE Part #770025-1
03P UMNLII IN-LINE CAP HSG KIT

TE Part #770026-1
04P UMNLII IN-LINE CAP HSG KIT

TE Part #1-770253-0
UMNLII SOK PTPPHBZ LP LF 24-18

TE Part #103946-1
8X2 MTE SHRD PIN SR POL .100CL

TE Part #5101310001
RPS-2.5K-18-12/2.0-S3-9

TE Part #354561-1
STOP, REAR

TE Part #354562-1
PLATE, BASE

Documents

Product Drawings

TERMINAL,PIDG R IR 18 5/16

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-320572-4_AE.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-320572-4_AE.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-320572-4_AE.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English

Agency Approvals

CSA Certificate

English