2382635-1 ✔ ACTIVE

LUMAWISE | Custom Terminal Block


TE Internal #: 2382635-1

UL, 3 Position, -40 – 105 °C [-40 – 221 °F], Custom Terminal Block, Street Lighting Power Management

View on TE.com >

Connectors > Lighting Connectors > Street Lighting Controls > Street Lighting Power Management




Compatible With Agency/Standards Products: **UL**

Number of Positions: **3**

Sealable: **No**

Contact Current Rating (Max): **15 A**

Operating Temperature Range: **-40 – 105 °C [-40 – 221 °F]**

Features

Product Type Features

Sealable	No

Configuration Features

Number of Positions	3

Contact Features

Contact Current Rating (Max)	15 A

Housing Features

Centerline (Pitch)	15.3 mm[.606 in]

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]

Industry Standards

Compatible With Agency/Standards Products	UL

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




TE Part # 1-2363638-2
Rcpt,LUMAWISE Endurance S2 Kit, KeyA,Dots


TE Part # 2376865-6
Rcpt Assy, w/ intg gasket; PC; 3P




TE Part # CAT-Z23-DRE
LUMAWISE Endurance N Poke-In: Streetlight Dimming Receptacles




TE Part # 2-2343403-1
RECEPTACLE, LUMAWISE ENDURANCE S, KEYED




TE Part # 2343403-1
RECEPTACLE, LUMAWISE ENDURANCE S, KEYED



TE Part # 2363638-2
Recept, LUMAWISE Endurance S2 Kit, KeyA



TE Part # 2505632-4
LITE BRKT ASM BASIC, LUMA END. S, KEYED



TE Part # 2341474-2
SEALING CAP, RCPT, LUMAWISE ENDURANCE S




TE Part # 2341474-1
SEALING CAP, RCPT, LUMAWISE ENDURANCE S



TE Part # 2505632-3
LITE BRACKET ASM, LUMAWISE END. S. KEYED

Also in the Series | Custom Terminal Block




PCB Terminal Blocks(5)




Street Lighting Power Management(1)

Customers Also Bought




TE Part #55792-1
PG BUTT SPLC 22-16COMM22-18MIL



TE Part #480003-5
FF 250 REC HSG 6P NYLON NAT



TE Part #1-480702-0
04P UMNL PLUG HSG NATL



TE Part #521267-1
POSI-LOK HSG.250-5 POS RAST5



TE Part #5-1462037-4
IM41GR=IM RELAY 100mW 3V BIS




TE Part #1969590-7
HSG, REC, PANEL MOUNT, SINGLE ROW,EP2.5



TE Part #2334614-4
Power Versa-Lock BACK COVER 4P



TE Part #2376865-4
Rcpt Assy, w/ intg gasket, PC, dimm 3 /4



TE Part #1-2483180-2
0.8mm Low-profile IDC Hdr Str WTB 12 Pos



TE Part #2834171-3
ULTRAMINIATURE SLIM CONTACT

Documents

Product Drawings

LUMAWISE POWER INPUT TERMINAL BLOCK (TB)

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2382635-1_1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2382635-1_1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2382635-1_1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

LUMAWISE Power Input Terminal Block

English

Product Specifications

Application Specification

English

Agency Approvals

UL

English