

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


LOC	DIST
ES	00

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	G7	REV PER ECR-09-008079	08APR2009	OL	SY
	H	REV PER ECR-12-003783	28FEB2012	CZ	SZ
	H2	ADD NEW PART -29	28JAN2015	AY	SZ








1. OPTIONAL CENTER MODULE, WITH Ø.150 THRU HOLE OR HOLD DOWN FEATURE
2. "AMP", PART NUMBER, AND DATE CODE TO BE MARKED IN AREA SHOWN PARTS UNDER 2.00 LONG MAY BE MARKED ON BOTH SIDES
3. MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-O
   SIGNAL CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
   POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
4. CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
5. MECHANICAL CONNECTOR KEEP OUT ZONE
6. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
7. PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES
8. PCB - .0453±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 CU PLATING TO ACHIEVE A .040±.003 DIA HOLE
9. VARIABLE DIMENSIONS PLEASE REFER TO TABLE FOR DETAIL.



SECTION Z-Z



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - - 3

FINISH - - 4

DWN R.GRZYBOWSKI 28FEB95
CHK M.PERCHERKE 28FEB05
APVD M.PERCHERKE -
PRODUCT SPEC 108-1973
APPLICATION SPEC 114-13038
WEIGHT -

TE Connectivity

NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450542	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 1 OF 10 | REV H2


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		SIGNAL				POWER									
			4	3	2	1	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1
2-6450542-2	D C B A	HD	AP AP AP AP / AP AP AP AP / AP AP AP AP / AP AP AP AP				GS	GS	GS	GS	GS	GS	GS	GS	GS	GS
10P + 16S																



RECOMMENDED PCB LAYOUT
6450542-22

PART NUMBER	ROWS		SIGNAL				POWER	
			4	3	2	1	P2	P1
2-6450542-3	D C B A	HD	AP AP AP AP / AP AP AP AP / AP AP AP AP / AP AP AP AP				GS	GS
2P + 16S								



RECOMMENDED PCB LAYOUT
6450542-23

	DIM U	DIM S	DIM W	DIM D	DIM M	DIM L	DIM K	DESCRIPTION	PART NUMBER
H2	1.500	.250	1.375	1.550	-	1.850	.450	4P + 8S	2-6450542-9
	4.425	.200	2.200	4.475	-	4.775	.450	9P + 92S	2-6450542-7
	3.350	.200	2.825	3.400	-	3.700	.450	12HDP + 24S	2-6450542-5
	2.825	9	2.300	2.875	-	3.175	.475	3ACP + 4P + 24S	2-6450542-4
	1.200	.250	.875	1.250	-	1.550	.450	2P + 16S	2-6450542-3
	3.200	.250	2.875	3.250	-	3.550	.450	10P + 16S	2-6450542-2
	2.300	.250	1.875	2.350	-	2.650	.450	6P + 20S	2-6450542-0
	1.800	9	1.275	1.850	-	2.150	.450	4P + 24S	1-6450542-9
	2.900	.250	2.375	2.950	-	3.250	.450	8P + 24S	1-6450542-8
	2.100	.250	1.375	2.150	-	2.450	.450	4P + 32S	1-6450542-7
	2.100	.250	1.875	2.150	-	2.450	.450	6P + 12S	1-6450542-6
H	2.900	.200	2.425	3.000	-	3.300	.450	10HDP + 24S	1-6450542-5
	2.000	.250	.875	-	-	2.350	.450	2P + 48S	1-6450542-4
	5.900	.250	5.375	5.950	-	6.250	.450	20P + 24S	1-6450542-2
	1.400	.250	.875	1.450	-	1.750	.450	2P + 24S	1-6450542-1
	1.100	-	.575	1.150	-	1.450	.425	1P + 24S	1-6450542-0
	4.425	.250	3.875	4.475	-	4.775	.450	14P + 24S	6450542-9
	3.050	.250	2.125	3.100	-	3.400	.450	7P + 40S	6450542-8
	3.800	-	3.550	3.850	-	4.150	.475	11P + 12S	6450542-4
	3.800	-	3.550	3.850	-	4.150	.475	11P + 12S	6450542-3
	3.000	.250	2.375	3.050	-	3.350	.450	8P + 28S	6450542-2
	1.600	.250	1.375	1.650	-	1.950	.450	4P + 12S	6450542-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -
FINISH - -

DWN R.GRZYBOWSKI 28FEB95
CHK M.PERCHERKE 28FEB05
APVD M.PERCHERKE -
PRODUCT SPEC 108-1973
APPLICATION SPEC 114-13038
WEIGHT -

TE Connectivity

NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450542	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 2 OF 10 | REV H2


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
ES	00


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	SIGNAL 3	2	1	POWER P4	P3	P2	P1
6450542-1	D C B A	AP	AP	AP	GP	GP	GP	GP
4P + 12S								



PART NUMBER	ROWS	SIGNAL 7	6	5	4	3	2	1	POWER P8	P7	P6	P5	P4	P3	P2	P1
6450542-2	D C B A	AP	AP	AP	AP	AP	AP	AP	GP	GP	GP	GP	GP	GP	GP	GP
8P + 28S																




PART NUMBER	ROWS	SIGNAL 3	2	1	POWER P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1
6450542-3	D C B A	AP	AP	AP	GP	GP		GP	GP		GP	GP		GP	GP
11P + 12S															

NO CONTACTS LOADED

PART NUMBER	ROWS	SIGNAL 3	2	1	POWER P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1
6450542-4	D C B A	AP	AP	AP	GP	GP		GP			GP			GP	
11P + 12S															

NO CONTACTS LOADED



AP	SIGNAL PRESS FIT
GS	POWER PRESS FIT, STD
GP	POWER PRESS FIT, MFBL
CODE	TAIL LENGTH

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - - 6

FINISH - - 7

DWN 28FEB95 R.GRZYBOWSKI
CHK 28FEB05 M.PERCHERKE
APVD - M.PERCHERKE
PRODUCT SPEC 108-1973
APPLICATION SPEC 114-13038
WEIGHT -

TE Connectivity

NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450542	-

CUSTOMER DRAWING

SCALE 1:1 SHEET 3 OF 10 REV H2


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
ES	00


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-


PART NUMBER	ROWS	SIGNAL 10	9	8	7	6	5	4	3	2	1	POWER P7	P6	P5	P4	P3	P2	P1
6450542-8	D	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	GP	GP	GP	GP	GP	GP	GP
	C	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP							
	B	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP							
	A	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP							
7P + 40S																		



PART NUMBER	ROWS	SIGNAL 6	5	4	3	2	1	POWER P14	P13	P12	P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1
6450542-9	D	AP	AP	AP	AP	AP	AP	GP	GP	GP	GP	GP	GP	GP	GP	GP	GP	GP	GP	GP	GP
	C	AP	AP	AP	AP	AP	AP														
	B	AP	AP	AP	AP	AP	AP														
	A	AP	AP	AP	AP	AP	AP														
14P + 24S																					



PART NUMBER	ROWS	SIGNAL 6	5	4	3	2	1	POWER P1
1-6450542-0	D	AP	AP	AP	AP	AP	AP	GP
	C	AP	AP	AP	AP	AP	AP	
	B	AP	AP	AP	AP	AP	AP	
	A	AP	AP	AP	AP	AP	AP	
		HD						HD
1P + 24S								



THIS DRAWING IS A CONTROLLED DOCUMENT.	DWN R GRZYBOWSKI 28FEB95	TE Connectivity	
DIMENSIONS: INCHES	CHK M PERCHERKE 28FEB05	NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±2°	APVD M PERCHERKE -		
	PRODUCT SPEC 108-1973		
	APPLICATION SPEC 114-13038	SIZE A1	CAGE CODE 00779
MATERIAL - -	WEIGHT -	DRAWING NO C-6450542	RESTRICTED TO -
FINISH - -	CUSTOMER DRAWING	SCALE 4:1	SHEET 4 OF 10 REV H2

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-


PART NUMBER	ROWS	SIGNAL 6 5 4 3 2 1	POWER P2 P1
1-6450542-1	D C B A	AP AP AP AP AP AP / AP AP AP AP AP AP / AP AP AP AP AP AP / AP AP AP AP AP AP	GP GP


2P + 24S

PART NUMBER	ROWS	SIGNAL 6 5 4 3 2 1	POWER P20 P19 P18 P17 P16 P15 P14 P13 P12 P11 P10 P9 P8 P7 P6 P5 P4 P3 P2 P1
1-6450542-2	D C B A	AP AP AP AP AP AP / AP AP AP AP AP AP / AP AP AP AP AP AP / AP AP AP AP AP AP	GP GP GP GP GP GP GP GP GP GP GP GP GP GP GP GP GP GP GP GP

20P + 24S







PART NUMBER	ROWS	SIGNAL 6 5 4 3 2 1	POWER P10 P9 P8 P7 P6 P5 P4 P3 P2 P1
1-6450542-5	D C B A	AP AP AP AP AP AP / AP AP AP AP AP AP / AP AP AP AP AP AP / AP AP AP AP AP AP	GP GP GP GP GP GP GP GP GP GP
	HD		HD

10HDP + 24S

THIS DRAWING IS A CONTROLLED DOCUMENT.	DWN R.GRZYBOWSKI 28FEB95	TE Connectivity	
DIMENSIONS: INCHES	CHK M.PERCHERKE 28FEB05	NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±2°	APVD M.PERCHERKE -	PRODUCT SPEC 108-1973	
		APPLICATION SPEC 114-13038	
MATERIAL - -	FINISH - -	WEIGHT -	SIZE A1 CAGE CODE 00779 DRAWING NO C-6450542 RESTRICTED TO -
		CUSTOMER DRAWING	SCALE 4:1 SHEET 5 OF 10 REV H2


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
ES	00


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-


ASSY PART NUMBER	ROWS	SIGNAL 3	SIGNAL 2	SIGNAL 1	POWER P6	POWER P5	POWER P4	POWER P3	POWER P2	POWER P1
1-6450542-6	D	AP	AP	AP	GS	GS	GS	GS	GS	GS
	C	AP	AP	AP						
	B	AP	AP	AP						
	A	AP	AP	AP						
6P + 12S										



PART NUMBER	ROWS	SIGNAL 6	SIGNAL 5	SIGNAL 4	SIGNAL 3	SIGNAL 2	SIGNAL 1	POWER P8	POWER P7	POWER P6	POWER P5	POWER P4	POWER P3	POWER P2	POWER P1
1-6450542-8	D	AP	AP	AP	AP	AP	AP	GP	GP	GP	GP	GP	GP	GP	GP
	C	AP	AP	AP	AP	AP	AP								
	B	AP	AP	AP	AP	AP	AP								
	A	AP	AP	AP	AP	AP	AP								
8P + 24S		HD													HD



ASSY PART NUMBER	ROWS	SIGNAL 8	SIGNAL 7	SIGNAL 6	SIGNAL 5	SIGNAL 4	SIGNAL 3	SIGNAL 2	SIGNAL 1	POWER P4	POWER P3	POWER P2	POWER P1
1-6450542-7	D	AP	AP	AP	AP	AP	AP	AP	AP	GS	GS	GS	GS
	C	AP	AP	AP	AP	AP	AP	AP	AP				
	B	AP	AP	AP	AP	AP	AP	AP	AP				
	A	AP	AP	AP	AP	AP	AP	AP	AP				
4P + 32S													



THIS DRAWING IS A CONTROLLED DOCUMENT.	DWN R.GRZYBOWSKI 28FEB95	TE Connectivity	
DIMENSIONS: INCHES	CHK M.PERCHERKE 28FEB05	NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±2°	APVD M.PERCHERKE -	PRODUCT SPEC 108-1973	
		APPLICATION SPEC 114-13038	
MATERIAL - -	FINISH - -	WEIGHT -	SIZE A1 CAGE CODE 00779 DRAWING NO C-6450542 RESTRICTED TO -
		CUSTOMER DRAWING	SCALE 4:1 SHEET 6 OF 10 REV H2


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
ES	00


REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	SIGNAL 6 5 4 3 2 1	POWER P4 P3 P2 P1
1-6450542-9	D C B A	AP AP AP AP AP AP (4 rows)	GS GS GS GS
4P + 24S			




ASSY PART NUMBER	ROWS	SIGNAL 5 4 3 2 1	POWER P6 P5 P4 P3 P2 P1
2-6450542-0	D C B A	AP AP AP AP AP (4 rows)	GS GS GS GS GS GS
6P + 20S			





PART NUMBER	ROWS	SIGNAL 6 5 4 3 2 1	POWER P7 P6 P5 P4 P3 P2 P1
2-6450542-4	D C B A	AP AP AP AP AP AP (4 rows)	GS GS GS GS GS GS GS
3ACP + 4P + 24S		HD	HD



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -
FINISH - -

DWN R.GRZYBOWSKI 28FEB95
CHK M.PERCHERKE 28FEB05
APVD M.PERCHERKE -
PRODUCT SPEC 108-1973
APPLICATION SPEC 114-13038
WEIGHT -

TE Connectivity

NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450542	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 7 OF 10 | REV H2


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
ES	00


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		SIGNAL 6	5	4	3	2	1	POWER P12	P11	P10	P09	P08	P07	P06	P05	P04	P03	P02	P01
2-6450542-5	D C B A		AP	AP	AP	AP	AP	AP	GS	GS	GS	GS	GS	GS	GS	GS	GS	GS	GS	GS
			AP	AP	AP	AP	AP	AP												
			AP	AP	AP	AP	AP	AP												
			AP	AP	AP	AP	AP	AP												
12HDP + 24S																				



ASSY PART NUMBER	ROWS		SIGNAL 12	11	10	9	8	7	6	5	4	3	2	1	POWER P2	P1
1-6450542-4	D C B A		AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	GS	GS
			AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP		
			AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP		
			AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP		
2P + 48S																



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -
FINISH - -

DWN R.GRZYBOWSKI 28FEB95
CHK M.PERCHERKE 28FEB05
APVD M.PERCHERKE -
PRODUCT SPEC 108-1973
APPLICATION SPEC 114-13038
WEIGHT -

TE Connectivity

NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450542	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 8 OF 10 | REV H2


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	SIGNAL																						POWER								
		23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	P9	P8	P7	P6	P5	P4	P3	P2	P1
2-6450542-7	D	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP				AP	AP	GS	GS	GS		GS	GS	GS		GP
	C	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP				AP	AP									
	B	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP				AP	AP									
	A	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP				AP	AP									
9P + 92S																																



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.GRZYBOWSKI 28FEB95	TE Connectivity
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±2°	CHK M.PERCHERKE 28FEB05	NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
		APVD M.PERCHERKE -	
		PRODUCT SPEC 108-1973	
		APPLICATION SPEC 114-13038	SIZE A1 · CAGE CODE 00779 · DRAWING NO C-6450542 · RESTRICTED TO -
MATERIAL - -	FINISH - -	WEIGHT -	
		CUSTOMER DRAWING	SCALE 4:1 · SHEET 9 OF 10 · REV H2


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		SIGNAL		POWER			
			2	1	P4	P3	P2	P1
2-6450542-9	D C B A		AP AP AP AP AP AP AP AP		GP	GP	GP	GP
4P + 8S								



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ±.
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL -
FINISH -

DWN R.GRZYBOWSKI 28FEB95
CHK M.PERCHERKE 28FEB05
APVD M.PERCHERKE -
PRODUCT SPEC 108-1973
APPLICATION SPEC 114-13038
WEIGHT -

TE Connectivity

NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450542	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 10 OF 10 | REV H2