31628 ✔ ACTIVE

SOLISTRAND | SOLISTRAND Budget

TE Internal #: 31628

Hook Tongue Terminal, 22 AWG, #8 / M4 Stud, 4.17 mm [.164 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated, SOLISTRAND Budget

View on TE.com >

Terminals & Splices > Ring Terminals







Ring Terminal Product Type: **Hook Tongue Terminal**

Wire Size: **509 – 3260 CMA**

Stud Size: **#8, M4**

Features

Product Type Features

Ring Terminal Product Type	Hook Tongue Terminal
Stud Size	#8, M4
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support

Body Features

Product Weight	.534 g

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	Without

Dimensions

Wire Size	509 – 3260 CMA
Stud Diameter	4.17 mm[.164 in]

Tongue Thickness	.79 mm[.031 in]
Product Length	16.66 mm[.656 in]
Barrel Inside Diameter	1.65 mm[.065 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	0 – 170 °C[0 – 338 °F]

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	No

Packaging Features

Packaging Quantity	1
Packaging Method	Package

Other

Line	Budget

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these


limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 327955
BUDG RECT 22-16COMM 22-18MIL 6


Also in the Series | SOLISTRAND Budget



Knife Disconnects(4)



Ring Terminals(106)



Spade Terminals(46)

Customers Also Bought



TE Part #33470
TERMINAL,SOLIS R 4 5/16



TE Part #41582
RING 190(4.82 MM) 24-20 AWG TPBR



TE Part #175411-1
110 PL REC. 24-20AWG PTBR



TE Part #320344
TERMINAL,SOLIS R 6 1/2



TE Part #321632
TERMINAL,SOLIS HK 12-10 1/4



TE Part #626034-2
RING TONGUE 1.0-2.5 MM2 .236 X .521 TPBR



TE Part #626038-2
RING TONGUE 4-6 MM2 0.79 X 16.18 TPBR



TE Part #726343-1
SO-RINGZUNGE D46234



TE Part #880642-2
RING TONGUE 1.0-2.5 MM2 0.61X14.60 TPBR



TE Part #1-1618002-8
EV200HAANA=RELAY, SPST-NO WITH

Documents

Product Drawings

BUDG HK 22-16 COMM 22-18 MIL 8

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_31628_K.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_31628_K.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_31628_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English