321024 ✔ ACTIVE


SOLISTRAND

TE Internal #: 321024

Butt Splice, 26 – 22 AWG, .12 – .4 mm² Wire, 202 – 810 CMA, Uninsulated, Serrated, Copper, 9.78 mm [.385 in] Length, Loose Piece, Closed Barrel

View on TE.com >

Terminals & Splices > Splices







Splice Type: **Butt Splice**

Wire Size: **.12 – .4 mm²**

Sealable: **No**

Splice Features: **Serrated**

Features

Product Type Features

Splice Accessory Type	Splice
Splice Type	Butt Splice
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire

Body Features

Product Weight	.142 g
Splice Features	Serrated

Contact Features

	100 µin
Terminal Plating Material	Tin
Contact Base Material	Copper

Barrel Type	Closed

Mechanical Attachment

Wire Insulation Support	Without

Dimensions

Outside Diameter	1.96 mm[.077 in]
Wire Size	202 – 810 CMA
Barrel Inside Diameter	.86 mm[.034 in]
Terminal Material Thickness	.51 mm[.02 in]
Product Length	9.78 mm[.385 in]

Usage Conditions

Insulation Option	Uninsulated

Operation/Application

Compatible With Wire Base Material	Copper

Industry Standards

Government Qualified Splice	No

Packaging Features

Packaging Quantity	1000
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 69363
DAHT STRATO SOLIS 26-20 ASSY

Customers Also Bought



TE Part #61-0231-011-P00
CONTACT PIN 1 MM




TE Part #EEA204N00000001000
915 ITEC RECEPTACLE



TE Part #ZPF0000000000003598
724-0003-20



TE Part #ESB001N00310001000
615 PLUG



TE Part #87756-4
MOD IV RECP PLTD 15 SEL




TE Part #1-350777-9
02P UMNL V0 PLUG HSG BLACK




TE Part #350874-3
UMNL SOK 18-14 .0125 PTPPHBZ



TE Part #487545-3
006 HOUSING FFC RCPT 050CL SR



TE Part #3-1617753-7
FCA-325-AY2



TE Part #2176308-6
RP 1E 0.1W 150K 0.1% 25PPM 5K RL

Documents

Product Drawings

SPLICE, BUTT, BUDGET, 26-22

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_321024_U.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_321024_U.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_321024_U.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Agency Approvals

UL Report

English