322776 ✔ ACTIVE

SOLISTRAND | SOLISTRAND Budget

TE Internal #: 322776

Spade Tongue Terminal, 22 – 16 AWG, #6 / M3.5 Stud, 3.51 mm [.138 in] Stud Diameter, Closed Barrel, Flanged, Tin Plating, SOLISTRAND Budget

View on TE.com >

Terminals & Splices > Spade Terminals







Spade Terminal Type: **Spade Tongue Terminal**

Wire Size: **509 – 3260 CMA**

Stud Size: **#6, M3.5**

Features

Product Type Features

Stud Size	#6, M3.5
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support

Body Features

Product Weight	.477 g

Contact Features

Spade Terminal Type	Spade Tongue Terminal
Barrel Type	Closed
Terminal Orientation	Flanged
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	Without

Dimensions

Wire Size	509 – 3260 CMA
Stud Diameter	3.51 mm[.138 in]

Tongue Thickness	.79 mm[.031 in]
Product Length	13.06 mm[.515 in]
Barrel Inside Diameter	1.55 mm[.061 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	0 – 170 °C[0 – 338 °F]

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	No

Packaging Features

Packaging Quantity	1000
Packaging Method	Box

Other

Line	Budget

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these

limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 58508-1
PRO-CRIMPER HD TL W/DIE BUDGET



TE Part # 58509-1
PRO-CRIMPER DIE BUDGET


Also in the Series | SOLISTRAND Budget



Knife Disconnects(4)



Ring Terminals(106)



Spade Terminals(46)

Customers Also Bought




TE Part #ANT-916-CW-RH-SMA
Antenna 1/4 Wave Short 916MHz SMA



TE Part #ANT-916-CW-RCS-SMA
Antenna CW-RCS 916 SMA Jack



TE Part #T4110001041-000
M12,FEMALE,STRAIGHT,A CODE,4P, PG7,GOLD



TE Part #170328-1
250 PL MKII REC. 18-14AWG PTBR



TE Part #1-1423673-2
W51-A122B1-10=CKTBKR,THERM,ROC



TE Part #1558666-1
T9GS1L14-5



TE Part #1-2416049-7
PBES22 40 LED 110V AC/DC 1.4mA NC NC



TE Part #6609007-3
20EEJ1=F7892A S0



TE Part #1423675-7
W57-XB7A4A10-10=CKTBKR,THERM,P



TE Part #2-1437628-6
SPA42=SW PLATE (ON-OFF) 1/4" D

Documents

Product Drawings

BUDG SPDFLG 22-16COMM22-18MIL6

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_322776_H.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_322776_H.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_322776_H.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English