5100668-1 ✔ ACTIVE

Z-PACK | Z-PACK 2mm HM


TE Internal #: 5100668-1

Hard Metric Backplane PCB Mount Header, ≤1 Gb/s, 22 Column, 7 Row, Mezzanine, 154 Position, 2 mm [.078 in] Centerline, Vertical, Gray, Z-PACK 2mm HM

View on TE.com >

Connectors > PCB Connectors > Backplane Connectors > Hard Metric Backplane Connectors >

Hard Metric Male Connector: Traditional Backplane, Mezzanine, 2mm



PCB Connector Type: **PCB Mount Header**

Data Rate: **≤1 Gb/s**

Number of Columns: **22**

Number of Rows: **7**

Backplane Architecture: **Mezzanine**

All Hard Metric Male Connector: Traditional Backplane, Mezzanine, 2mm (123)

Features

Product Type Features

Connector & Contact Terminates To	Printed Circuit Board
Ground Feature Type	Ground Return Shielding
Backplane Interface Type	2mm HM
Connector System	Board-to-Board
PCB Connector Type	PCB Mount Header
Sealable	No

Configuration Features

Rows Loaded	A, B, C, D, E, F, Z
Number of Columns	22
Number of Rows	7
Backplane Architecture	Mezzanine
Number of Positions	154

PCB Mount Orientation	Vertical

Signal Characteristics

Crosstalk Version	Standard
Data Rate	≤1 Gb/s

Body Features

Primary Product Color	Gray

Contact Features

Contact Underplating Material	Nickel
Contact Base Material	Phosphor Bronze
CompactPCI Designation	None
PCB Contact Termination Area Plating Material	Tin
Feedthrough Post Length	3.7 mm
Contact Type	Pin
Contact Mating Area Plating Material	Gold (Au)
Contact Mating Area Plating Material Thickness	.5 µm[20 µin]
Contact Current Rating (Max)	1.5 A

Termination Features

Termination Method to PCB	Through Hole - Press-Fit

Mechanical Attachment

Connector Mounting Type	Board Mount
Mating Alignment Type	Multi-Purpose Center
Front Mating Level	Level 1

Housing Features

Housing Material	Polyester GF
Centerline (Pitch)	2 mm[.078 in]

Dimensions

Backplane Module Length	50 mm

Usage Conditions

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

Operation/Application

Shielded	Yes

Circuit Application	Power & Signal

Industry Standards

UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Quantity	10
Packaging Method	Tube

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts




TE Part # CAT-472-Z12553
HM Receptacle Connector: Traditional Backplane, Coplanar, 2mm



TE Part # 2367982-1
2MM HM FEMALE ASSY, COL8



TE Part # 3-352068-0
Z-PACK/A F-HDR 110P




TE Part # 2391875-1
Z-PACK M.ASSY.154P.EON



TE Part # 90753-1
SEATING TOOL ASSY H.M. 154 PIN


Also in the Series | Z-PACK 2mm HM




Board-to-Board Headers & Receptacles(46)



Connector Contacts(1)



Connector Hardware(91)



Hard Metric Backplane Connectors (264)




Power Contacts(1)



Rectangular Power Connectors(46)

Customers Also Bought




TE Part #354064-E
SMCB 32 F AB VV 7-03 CL * H007 137 E002




TE Part #454701-E
MSPEED 91 F SMD F4 B A-G VVVV 137 094 *




TE Part #6-104068-7
100 SYSTEM 50 HDR DRST SHRD



TE Part #1645498-6
UNV,PWR,MDL.8 POS. VERT.HDR, 15MM STACK




TE Part #1-1909119-4
VAO, MODULAR JACK, RJ45+USBx1F, W/ LED



TE Part #4-5175474-2
CHAMP 050 B/B REC H W/LEG 130P



TE Part #2-5535512-2
30 MODII HORZ DR CE EESS .100



TE Part #5646529-1
Z-PACK 2MM HM TYPE A/B 169P

TE Part #5646957-3
UPM R/A Header 7P connector LSSLSSL

TE Part #124094-E
ERMD 176 FS EE * 3,70 A-H V-V * * 247 E-

Documents

Product Drawings

Z-PACK M.ASSY.154P.

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5100668-1_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5100668-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5100668-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English