
5-583616-4 DO NOT USE FOR NEW DESIGN

TE Internal #: 5-583616-4

Gold (Au), Socket Contact, 28 – 24 AWG, .08 – .24 mm² Wire, Locking Lance Contact Retention, 159.8 – 642.4 CMA, Crimp, Phosphor Bronze, Power & Signal

View on TE.com >

Connectors > Contacts > Connector Contacts



Contact Type: **Socket**

Contact Mating Area Plating Material: **Gold (Au)**

Wire Contact Termination Area Plating Material: **Tin**

Contact Retention Within Housing: **With**

Contact Retention Type Within Housing: **Locking Lance**

Features

Contact Features

PCB Contact Termination Area Plating Material	Tin
PCB Contact Termination Area Plating Material Finish	Matte
Contact Type	Socket
Contact Mating Area Plating Material	Gold (Au)
Wire Contact Termination Area Plating Material	Tin
Contact Retention Within Housing	With
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	5 A
Wire Contact Termination Area Plating Material Finish	Matte

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

Mechanical Attachment

Contact Retention Type Within Housing	Locking Lance

Dimensions

Wire Size	159.8 – 642.4 CMA
Compatible Insulation Diameter Range	.89 – 1.4 mm[.035 – .055 in]

Usage Conditions

Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]

Operation/Application

Circuit Application	Power & Signal

Identification Marking

Contact Color Code	Orange

Packaging Features

Packaging Quantity	5000
Packaging Method	Loose Piece

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 91073-1
TW LF EXT TOOL

Customers Also Bought



TE Part #42510-2
250 FASTON REC 22-18 AWG TPBR



TE Part #531230-2
SHUNT, .200 C/L,LP,2 POS, 15AU



TE Part #535070-5
048 EURO TYPE C RECEPT ST ASSY



TE Part #640389-4
04P MTA156 HDR ASSY SQ R/A F/L



TE Part #4-1393144-0
K10P-11A15-120=K10/K20



TE Part #3-1437667-1
4DB-P108-08=4DB ASSEMBLY



TE Part #1571983-5
GDH04STR04=DIP SWITCH



TE Part #1-5747150-6
09 RCPT SP/FMS SCRLK



TE Part #6368150-1
MJ,TE,8P,CAT5,SHIELDED

TE Part #374219-E
ERMBGR FBUK GSE * M4 9999
ERMET-BAUSATZ

Documents

Product Drawings

TWIN LF CONT IS 24-28 AU

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5-583616-4_BM.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5-583616-4_BM.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5-583616-4_BM.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English