5822134-3 ✔ ACTIVE

MICRO-EDGE

TE Internal #: 5822134-3

22° Module Orientation, 72 Position, -55 – 105 °C [-67 – 221 °F], SIMM Sockets

View on TE.com >

Connectors > Socket Connectors > Memory Sockets > SIMM Sockets







Module Orientation: **22°**

Number of Positions: **72**

Operating Temperature Range: **-55 – 105 °C [-67 – 221 °F]**

Features

Product Type Features

Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Keys	1
Number of Rows	1
Module Orientation	22°
Number of Positions	72

Body Features

Retention Post Location	Center
Latch Plating Material	Nickel
Latch Material	Stainless Steel
Connector Profile	Low

Contact Features

Contact Current Rating (Max)	1 A
Contact Underplating Material	Nickel
Contact Mating Area Plating Material	Tin (Sn)
Memory Socket Type	Memory Card

Contact Base Material	Phosphor Bronze
PCB Contact Termination Area Plating Material	Tin
Contact Mating Area Plating Material Thickness	5.08 µm[200 µin]

Termination Features

Insertion Style	Cam-In
Termination Method to PCB	Through Hole - Solder
Termination Post & Tail Length	2.92 mm, 3.56 mm[.115 in][.14 in]

Mechanical Attachment

Connector Mounting Type	Board Mount
Polarization	Left
Mating Alignment Type	Center Post

Housing Features

Housing Material	LCP
Centerline (Pitch)	1.27 mm[.05 in]

Dimensions

Center Retention Hole Diameter	1.63 mm[.064 in]

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Operation/Application

Circuit Application	Signal

Industry Standards

UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Method	Box & Tube, Tube
Packaging Quantity	26

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 240°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




TE Part # 1759503-1
mini PCI-E 8H Type I PKG G/F


Customers Also Bought




TE Part #171826-4
POST HEADER ASSY HORIZONTAL EI




TE Part #1879129-3
RN 0402 1K21 0.1% 10PPM 5K RL




TE Part #8-2176362-1
RQ 0402 274R 0.1% 10PPM 5K RL




TE Part #2176363-4
RQ 0402 464R 0.1% 10PPM 5K RL




TE Part #2-2176363-7
RQ 0402 806R 0.1% 10PPM 5K RL



TE Part #6-2176363-8
RQ 0402 2K15 0.1% 10PPM 5K RL



TE Part #8-2176363-9
RQ 0402 3K57 0.1% 10PPM 5K RL



TE Part #5177985-2
0.8FH,R05H.5,060,08/Sn,TR,SC



TE Part #5650092-1
STANDARD EDGE .050 SERIES 91 DUAL ASSY



TE Part #1-826925-2
12P MOD2 STIFT LEI

Documents

Product Drawings

72 ME .050 L/P M/L PB-FREE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5822134-3_B_c-5822134-3-b.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5822134-3_B_c-5822134-3-b.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5822134-3_B_c-5822134-3-b.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English

MICRO-EDGE SIMM (Single In-Line Memory Module) Connectors

English