640136-2 ✔ ACTIVE


AMP

TE Internal #: 640136-2

Wire-to-Board Card Edge Housing, 2 Position, 3.96 mm [.156 in] Centerline, Wire & Cable, Signal, -55 – 105 °C [-67 – 221 °F]

View on TE.com >

Connectors > PCB Connectors > Card Edge Connectors > Card Edge Connector Housings



Connector System: **Wire-to-Board**

Number of Positions: **2**

Centerline (Pitch): **3.96 mm [.156 in]**

Connector & Contact Terminates To: **Wire & Cable**

Contact Current Rating (Max): **6 A**

Features

Product Type Features

Connector System	Wire-to-Board
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	2

Contact Features

Contact Current Rating (Max)	6 A

Mechanical Attachment

Connector Mounting Type	Board Mount

Housing Features

Centerline (Pitch)	3.96 mm[.156 in]

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Operation/Application

Circuit Application	Signal

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant

EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts




TE Part # 61668-1
BIF-LEAF CONT CR/SNAP SNPB/BR




TE Part # 61668-2
BIF-LEAF CONT CR/SNAP PTPPHBZ




TE Part # 350011-1
BIF-LEAF CONT SNPBBR LP 24-18




TE Part # 3-61668-1
BIF-LEAF CONT CR/SNAP SN/BR




TE Part # 640180-1
KEYING PLUG PC CONN NATL



TE Part # 350011-3
BIF-LEAF CONT PTPPHBZ LP 24-18



TE Part # 61668-4
BIF-LEAF CONT CR/SNAP AUPHBZ



TE Part # 350011-2
BIF-LEAF CONT AUPHBZ LP 24-18

Customers Also Bought



TE Part #T4081112003-000
M8 Y DISTRIBUTOR MALE 3POS



TE Part #2-34158-1
TERMINAL,PG R 16-14 6




TE Part #2-34161-1
TERMINAL,PG R 16-14 10




TE Part #91601-1
CCII AMPMODU SHORT POINT REC 24-20 ASSY




TE Part #281695-4
HEADER HE14 STRAIGHT 4 P




TE Part #281839-8
HOUSING HE13 HE14 COSI 2X8 P



TE Part #350967-1
MR PIN PTPPHBZ



TE Part #3-520370-2
ULTRA-FAST 110/125 ASY REC 16-14AWG TPBR



TE Part #1-640507-0
02P MR II CAP HSG



TE Part #1827572-2
DYNAMIC D1000 REC CONT 2L AU 0.38um FORM

Documents

Product Drawings

02P EDGE CONN HSG, BIF-LEAF

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_640136-2_U.3d_stp.zip

English

Customer View Model

ENG_CVM_640136-2_U.2d_dxf.zip

English

Customer View Model

ENG_CVM_640136-2_U.3d_igs.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Bifurcated Leaf Contact

English

Application Specification

English

Instruction Sheets

BIFURCATED LEAF CONTACT CONNECTORS

English

Instruction Sheet (U.S.)

English

Agency Approvals

Agency Approval Document

English