# 7-180984-0 ✔ ACTIVE

FASTON | FASTON 250

TE Internal #: 7-180984-0

Insulation Boot, Flag, PA 66, Natural, Bag, -25 – 105 °C [-13 – 221 °F], FASTON 250, Insulation Boots & Sleeves

View on TE.com >

Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Insulation Boots & Sleeves








Insulation Boot & Sleeve Product Type: **Insulation Boot**

Terminal Orientation: **Flag**

Primary Product Material: **PA 66**

Primary Product Color: **Natural**

Packaging Method: **Bag**

## Features

### Product Type Features

| | |
|---|---|
| Insulation Boot & Sleeve Product Type | Insulation Boot |

### Body Features

| | |
|---|---|
| Primary Product Material | PA 66 |
| Primary Product Color | Natural |

### Contact Features

| | |
|---|---|
| Terminal Orientation | Flag |

### Usage Conditions

| | |
|---|---|
| Operating Temperature Range | -25 – 105 °C[-13 – 221 °F] |

### Industry Standards

| | |
|---|---|
| UL Flammability Rating | UL 94V-2 |

### Packaging Features

| | |
|---|---|
| Packaging Quantity | 1000 |
| Packaging Method | Bag |

## Product Compliance


For compliance documentation, visit the product page on TE.com>

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | 有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250)<br>Candidate List Declared Against: JUNE 2025 (250)<br>Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


## Compatible Parts




TE Part # 2-180930-1
250 FASTON HSG.,REC.,1 POS,RED



TE Part # 8-180984-2
250 FASTON BOOT FLAG REC. 1P NATURAL




TE Part # 180464-1
250 FASTON,FLAG,REC.,14-17AWG, LATON



TE Part # 881339-2
SLEEVE FOR .250 SRS FASTON TAB




TE Part # 2-180930-0
250 FASTON HSG.,REC.,1 POS, NATRUAL




TE Part # 2-180930-5
250 FASTON HSG.,REC.,1 POS,BLACK


## Also in the Series | FASTON 250



Compression Connectors(4)




Crimp Terminal Housings(117)



Insertion & Extraction Tools(6)



Insulation Boots & Sleeves(16)



Magnet Wire Terminals(1)



PCB Terminals(133)



Quick Disconnects(412)



Splices(4)

## Customers Also Bought




TE Part #ASA012N00730235000
623 PLUG



TE Part #62336-1
110 FASTON FLAG REC 22-18 AWG TPBR




TE Part #66360-4
SOCKET ASSEMBLY, LOOSE PIECE, TYPE III+




TE Part #165566-2
110 PIDG FASTON REC




TE Part #180464-2
250 FASTON,FLAG,REC.,14-17AWG, LATON



TE Part #788153-2
SLD CPC PLUG ASSY,11-4,REV SEX




TE Part #788155-2
SLD CPC RCPT ASSY,11-4,REV SEX



TE Part #5-1534116-2
MQS0,63 AU REC CB UNSEAL. 0,25-0,35 2P



TE Part #7-1563888-1
MCON 1.2 LL REC SRC AU SHORT CIRCUIT



TE Part #368544-1
070 MLC PLUG 18P HSG

## Documents

### Product Drawings

250 FASTON BOOT FLAG REC. 1P NATURAL

English

### CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_7-180984-0_AY.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_7-180984-0_AY.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_7-180984-0_AY.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

### Product Specifications

Blocchetto di protezione per capicorda lamellari femmina a bandiera serie .250

Product Specification