726346-1 ✔ ACTIVE

SOLISTRAND

TE Internal #: 726346-1

Closed Ring Tongue Terminal, 2 AWG, M8 Stud, 8.4 mm [.331 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated

View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: **Closed Ring Tongue Terminal**

Wire Size: **52600 – 83700 CMA**

Stud Size: **M8**

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	M8
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Number of Holes	1

Body Features

Product Weight	9.94 g

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	Without

Dimensions

Wire Size	52600 – 83700 CMA
Stud Diameter	8.4 mm[.331 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	26 mm[1.023 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	0 – 170 °C[0 – 338 °F]

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	No

Packaging Features

Packaging Quantity	200
Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 59975-1
HYP10 SOLIS 8-2AWG ASSY




TE Part # 726346
SO RINGTONG 6-35

Customers Also Bought



TE Part #33466-1
TERMINAL,SOLIS R 6 5/16 90DEG



TE Part #35678
TERMINAL,SOLIS R 90DEG 6 1/4



TE Part #134462-1
TERM, RING, STRAT, HR, SOLIS, 2, M6 (1/4)



TE Part #6-160526-1
FF 250 REC 0.5-1.5MM2 BR SILVER PLATED



TE Part #770019-1
04P UMNLII IN-LNE PLUG HSG KIT



TE Part #770026-1
04P UMNLII IN-LINE CAP HSG KIT



TE Part #1-770248-0
UMNL II PIN SN/AUNI/BR LP



TE Part #1-770251-0
UMNLII SOK PTPPHBZ LP LF 20-14



TE Part #1-770253-0
UMNLII SOK PTPPHBZ LP LF 24-18



TE Part #103946-1
8X2 MTE SHRD PIN SR POL .100CL

Documents

Product Drawings

SO-RINGZUNGE D46234

English

Datasheets & Catalog Pages

SOLISTRAND - QRG

English