726347-1 ✔ ACTIVE

SOLISTRAND

TE Internal #: 726347-1

Closed Ring Tongue Terminal, 1/0 AWG, M8 Stud, 8.4 mm [.331 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated

View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: **Closed Ring Tongue Terminal**

Wire Size: **41 – 60 mm²**

Stud Size: **M8**

Stud Diameter: **8.4 mm [.331 in]**

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	M8
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Number of Holes	1

Body Features

Product Weight	18.051 g

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	Without

Dimensions

Wire Size	41 – 60 mm²
Stud Diameter	8.4 mm[.331 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	34 mm[1.34 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	0 – 170 °C[0 – 338 °F]

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	No

Packaging Features

Packaging Quantity	100
Packaging Method	Box

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Customers Also Bought



TE Part #61118-5
CMNL PIN 20-14 AUNIBR




TE Part #130552
TERM, RING, SOLIS, 6, M5



TE Part #165297
SOLIS DIN 1.5-2.5 R M4



TE Part #342183-1
12-10 F.E.P.G. RING TONGUE 3BA




TE Part #1-1241050-0
2x10P MOD II BREAK AWAY HDR, SMD, BLISTER




TE Part #1379671-1
40W PLUG HSG ASSY BLACK




TE Part #1-1703843-1
3POS,TAB 1.6X0.6,TAB HSG,ASSY,



TE Part #2-2176388-3
RQ 1206 16R9 0.1% 10PPM 5K RL



TE Part #5-2176422-1
TLRP 2512 3.0W R007 1% 50PPM 4K RL



TE Part #174933-1
070 MLC W-W CAP HSG 12P

Documents

Product Drawings

SO-RINGZUNGE D46234

English

Datasheets & Catalog Pages

SOLISTRAND - QRG

English