8-735075-0 ✔ ACTIVE


FASTON | FASTON 250

TE Internal #: 8-735075-0

Insulation Sleeve, Straight, PA 66, Natural, Bag, -25 – 105 °C [-13 – 221 °F], FASTON 250, Insulation Boots & Sleeves

View on TE.com >

Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Insulation Boots & Sleeves







Insulation Boot & Sleeve Product Type: **Insulation Sleeve**

Terminal Orientation: **Straight**

Compatible Insulation Diameter (Max): **4 mm [.157 in]**

Compatible Insulation Diameter Range: **4 mm [.157 in]**

Primary Product Material: **PA 66**

Features

Product Type Features

Insulation Boot & Sleeve Product Type	Insulation Sleeve

Body Features

Primary Product Material	PA 66
Primary Product Color	Natural

Contact Features

Terminal Orientation	Straight

Dimensions

Product Length	24.4 mm[.96 in]
Compatible Insulation Diameter (Max)	4 mm[.157 in]
Compatible Insulation Diameter Range	4 mm[.157 in]

Usage Conditions

Operating Temperature Range	-25 – 105 °C[-13 – 221 °F]

Industry Standards

UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Quantity	20000
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts




TE Part # 2238204-3
FASTON 250 STD REC STR 22-18TPBR



TE Part # 1742198-1
250 FASTON,REC.,18-14 AWG,NPST




TE Part # 2238143-1
250 FASTON,REC.,22-18 AWG,NPST



TE Part # 2238196-3
FASTON 250 STD REC STR 18-14TPBR



TE Part # 2238173-3
250 FASTON,REC.,22-12 AWG,TPBR




TE Part # 444335-1
250 FASTON REC 16-14 AWG BR

Also in the Series | FASTON 250



Compression Connectors(4)




Crimp Terminal Housings(115)



Insertion & Extraction Tools(6)



Insulation Boots & Sleeves(16)



Magnet Wire Terminals(1)



PCB Terminals(133)



Quick Disconnects(417)



Splices(4)

Customers Also Bought



TE Part #4-280050-1
250 FASTON,FLAG,REC.,16-20 AWG, BR



TE Part #626279-1
RING TONGUE 0.5-1.50 MM2 PLAINNUBR



TE Part #735212-1
FF 250 REC 22-17AWG BR



TE Part #880643-1
RING TONGUE 1.0-2.5 MM2 0.61 X 14.60 BR



TE Part #1971598-1
POWER DBL LOCK PLUG HSG 8P (GWT



TE Part #1-2133341-2
250 HSG. PL MKI REC. NAT



TE Part #1-2133346-0
250 FASTON HSG.,REC.,1 POS, NATRUAL



TE Part #1-2133346-4
250 FASTON HSG.,REC.,1 POS,BLACK



TE Part #5-2232353-3
PTL MFBL 1X3 CAP PANEL MT GLW WIRE NAT



TE Part #2232724-1
PTL GROUND TAB CONTACT, 16-19 AWG, 2X22

Documents

CAD Files

Customer View Model

ENG_CVM_CVM_8-735075-0_AY.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_8-735075-0_AY.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_8-735075-0_AY.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

6,35 FASTON RECPTACLES AND TAB SLEEVES

English

Product Specification

English

Agency Approvals

UL Report

English