



PART NUMBER
SEE TABLES SHEET 1&2





PACKING CONFIGURATION
(ASSEMBLED FORM)





NOTES:

1. PART WILL BE SUPPLIED IN ASSEMBLED FORM





SL. NO.	COMPONENT	MATERIAL
1	SHIELDING CAP	STAINLESS STEEL
2	BODY	PBT GF
3	INTERFACE SEALING GASKET	SILICONE
4	LEVER	IXEF

PART NUMBER	DIMENSIONS (MM)			
	A	B	C	D
10138809-101LF	25.9 MAX	29.4 MAX	15.9 MAX	5.4 MAX
10138809-102LF	25.9 MAX	29.4 MAX	15.6 MAX	5.4 MAX
10138809-101NLF	25.9 MAX	29.4 MAX	15.9 MAX	5.4 MAX
10138809-102NLF	25.9 MAX	29.4 MAX	15.6 MAX	5.4 MAX


spec ref	-			dr	Jibin John	2016/07/30	projection
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Alosius, Stali	2020/11/27	MM
ISO 406 ISO 1101				chr	-	-	size A4 / scale 1:1
				appr	Kuriakose, San	2020/12/03	ecn no ELX-I-39131-1
surface -	linear	0.X	±0.3	product family	OCTIS		rel level Released
ISO 1302		0.XX	±0.13	Amphenol FCi	title: IP67 RECEPTACLE CAP		dwg no 10138809 / rev F
		0.XXX	±0.05		OCTIS PLUG KIT, PITCH 26MM		
	angular	0°	±2°		cat. no. -	Product - Customer Drw	sheet 1 of 4

© 2016 AFCI


Creo File - REV E - 2016-02-12

PART NUMBER	DESCRIPTION	REMARKS	REPRESENTATION
10138809-101LF	IP67 RECEPTACLE CAP WITH EMI SHIELD	1. ASSEMBLY CONTAINS ALL 4 COMPONENTS. 2. REFER PAGE 1 FOR THE COMPONENTS LIST	
10138809-102LF	IP67 RECEPTACLE CAP WITHOUT EMI SHIELD	1. ASSEMBLY CONTAINS 3 COMPONENTS COMPONENT NO. "1" IS NOT INCLUDED 2. REFER PAGE 1 FOR THE COMPONENTS LIST	
10138809-101NLF	IP67 RECEPTACLE CAP WITH EMI SHIELD	1. CUSTOMIZED LABEL 2. ASSEMBLY CONTAINS ALL 4 COMPONENTS. 2. REFER PAGE 1 FOR THE COMPONENTS LIST	
10138809-102NLF	IP67 RECEPTACLE CAP WITHOUT EMI SHIELD	1. CUSTOMIZED LABEL 2. ASSEMBLY CONTAINS 3 COMPONENTS. COMPONENT NO. "1" IS NOT INCLUDED. 2. REFER PAGE 1 FOR THE COMPONENTS LIST	


INSTALLATION



STEP 1



STEP 2



STEP 3


spec ref	-			dr	Jibin John	2016/07/30	projection
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Alosius, Stali	2020/11/27	MM
ISO 406 ISO 1101				chr	-	-	size A4 / scale 1:1
				appr	Kuriakose, San	2020/12/03	ecn no ELX-I-39131-1
							product family OCTIS / rel level Released
surface -	linear	0.X	±0.3	Amphenol FCi	title	IP67 RECEPTACLE CAP	dwg no 10138809	rev F
ISO 1302		0.XX	±0.13			OCTIS PLUG KIT, PITCH 26MM		
		0.XXX	±0.05					
	angular	0°	±2°		cat. no. -	Product - Customer Drw		sheet 2 of 4


© 2016 AFCI


Amphenol FCi

Creo File - REV E - 2016-02-12

PART NUMBER	REMARKS
10138809-103LF	-
10138809-103NLF	CUSTOMIZED LABEL








DETAIL A(8:5)

PACKING CONFIGURATION



SL. NO.	COMPONENT	MATERIAL
1	SHIELDING CAP	STAINLESS STEEL
2	BODY	PBT GF
3	INTERFACE SEALING GASKET	SILICONE
4	LEVER	IXEF
5	STRAP	COPPER+PET

NOTE;
1.PART WILL BE SUPPLIED IN ASSEMBLED FORM
2.DIMENSIONS SAME AS 10138809-101LF

spec ref	-	dr	Jibin John	2016/07/30	projection	MM	size A4 / scale 1:1
tolerance std ISO 406 ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Alosius, Stali	2020/11/27			ecn no ELX-I-39131-1
		chr	-	-			
		appr	Kuriakose, San	2020/12/03	product family	OCTIS	rel level Released
surface - ISO 1302	linear 0.X ±0.3 / 0.XX ±0.13 / 0.XXX ±0.05 / angular 0° ±2°	Amphenol FCi	title	IP67 RECEPTACLE CAP OCTIS PLUG KIT,PITCH 26MM		dwg no 10138809	rev F
			cat. no.	-	Product - Customer Drw		sheet 3 of 4

© 2016 AFCI

Creo File - REV E - 2016-02-12

GENERAL CHARACTERISTICS

Mechanical: Mating endurance (cycles) Vibration Weight (g)	 IEC 61300-2-2 IEC 61300-2-1 -	 100 - PN:10138809-101LF-6.73 g PN:10138809-101LF-5.38 g PN:10138809-103LF-7.39 g
Environmental: Protection class Operating temperature (°C) Storage temperature (°C) Humidity (damp heat) (%RH) Salt Mist RoHS Flammability UVB Resist (h)	 IEC 60529 IEC 61300-2-22 IEC 61300-2-22 IEC 61300-2-19 IEC 61300-2-26(ISO21207 method B) - UL 94 ASTM G154 cycle 2	 IP67 * -40 / +85 -65 / +85 5 / 95 720h * Compliant V0 Compliant
Others: Installation Packaging	 - -	 For use with standard OCTISTM panel interface or receptacle ** Unitary in plastic bag

© 2016 AFCI

spec ref	-			dr	Jibin John	2016/07/30	projection
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Alosius, Stali	2020/11/27	MM
ISO 406 ISO 1101				chr	-	-	size A4 / scale 1:1
				appr	Kuriakose, San	2020/12/03	ecn no ELX-I-39131-1
							product family OCTIS / rel level Released
surface -	linear	0.X	±0.3	Amphenol FCI	title	IP67 RECEPTACLE CAP	dwg no 10138809 / rev F
		0.XX	±0.13			OCTIS PLUG KIT, PITCH 26MM	
ISO 1302		0.XXX	±0.05				
	angular	0°	±2°		cat. no. -	Product - Customer Drw	sheet 4 of 4