
Part Number : 2014932100
Product Description : 2.00mm Pitch Wire-to-Wire Receptacle Housing, Positive Lock, 10 Circuits, Low-Halogen, Natural
Series Number : 201493
Status : Obsolete
Product Category : Connector Housings



Obsolete

Documents and Resources

Specifications

2014932100-A00.pdf

2014932100-A01.pdf

2014932100-000.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Compliant
China RoHS	per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)7663-DC (21 Jan 2025)
EU RoHS	Compliant per EU 2015/863

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Obsolete
Category	Connector Housings
Series	201493
Description	2.00mm Pitch Wire-to-Wire Receptacle Housing, Positive Lock, 10 Circuits, Low-Halogen, Natural
Application	Signal, Wire-to-Wire
Product Name	N/A
UPC	889056714945

Physical

Circuits (maximum)	10
Color - Resin	Natural (White)
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Resin	PBT
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	2.00mm
Polarized to Mating Part	Yes
Temperature Range - Operating	-40° to +105°C

Obsolete

Mates With / Use With

Mates with Part(s)

Description	Part Number
2.00mm Pitch Wire-to-Wire Plug Housing, Positive Lock, 10 Circuits, Low-Halogen, Natural	2014942100

Use with Part(s)

Description	Part Number
Terminal Position Assurance (TPA) Retainer for 2.00mm Pitch Wire-to-Wire Connector, 10 Circuits, Low-Halogen, Black	2014952100
2.00mm Pitch Female Terminals	59370

Obsolete