Part Number : 2033661005
Product Description : QSFP-DD-to-2 QSFP56 (zQSFP+) Passive Cable Assembly, 56 Gbps, 30 AWG, 0.5m Length
Series Number : 203366
Status : Active
Product Category : High-Speed I/O Cable Assemblies



Documents & Resources

Drawings

2033661005_sd.pdf

2033661005-PK.pdf

Specifications

2033661010-001.pdf

2033661010-002.pdf

2033661010-003.pdf

2033661010-004.pdf

2033661010-005.pdf

2033661010-006.pdf

2033661010-007.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	per SJ/T 11365-2006
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Active
Category	High-Speed I/O Cable Assemblies
Series	203366
Description	QSFP-DD-to-2 QSFP56 (zQSFP+) Passive Cable Assembly, 56 Gbps, 30 AWG, 0.5m Length
Assembly Configuration	Dual Ended Connectors
Connector to Connector	QSFP-DD-to-2 QSFP56, QSFP-DD-to-2 zQSFP+
Product Name	QSFP-DD,zQSFP Plus,zQSFP+
Type	Pluggable
UPC	191128457170

Electrical

Data Rate	56.0 Gbps
Impedance	100Ω

Physical

Cable Bundling	Woven Braid
Cable Length	0.50m

Circuits (Loaded)	MSA
Gender	Plug/Plug
Lock to Mating Part	Yes
Material - Metal	Zinc Die Cast
Material - Plating Mating	Gold
Net Weight	191.500/g
Packaging Type	Bag
Release Style	Pull Tab
Single Ended	No
Wire/Cable Type	Temp-Flex Twinax
Wire Size (AWG)	30