Part Number : 340910003
Product Description : MX150 Cable-Sealed Male Connector Assembly, Single Row, 3 Circuits, Keying Option C, Brown
Series Number : 34091
Status : Not Recommended For New Design
Product Category : Connector Housings



Documents & Resources

Drawings

340910003_sd.pdf

3D Models and Design Files

STEP AP242

SOLIDWORKS

Creo

Specifications

1600730001-AS-000.pdf

1600730001-PS-000.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Compliant
China RoHS	Not Relevant
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Not Relevant
REACH SVHC	Not Contained per D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant per EU 2015/863

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Not Recommended For New Design
Category	Connector Housings
Series	34091
Description	MX150 Cable-Sealed Male Connector Assembly, Single Row, 3 Circuits, Keying Option C, Brown
Application	Power, Automotive
Product Name	MX150
UPC	756054515549

Physical

Circuits (maximum)	3
Color - Resin	Brown
Gender	Plug
Glow-Wire Capable	No
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Resin	Nylon
Net Weight	6.125/g
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	4.50mm

Pitch - Termination Interface	4.50mm
Polarized to Mating Part	Yes
Ports	3
Stackable	No
Temperature Range - Operating	-40° to +125°C

Solder Process Data

Lead-Free Process Capability	N/A

Mates With / Use With

Mates with Part(s)

Description	Part Number
MX150 Cable-Sealed, Single Row, Female Connector Assemblies	160073