
**Part Number :** 394260003
**Product Description :** 12.00mm Pitch Beau EuroMax Right-Angle PCB Header, Closed Ends, 3 Circuits, with Threaded Retention Inserts
**Series Number :** 39426
**Status :** Obsolete
**Product Category :** Terminal Blocks and Barrier Strip
**Engineering Number :** 425903



Obsolete

## Documents & Resources

### Drawings

394260003_sd.pdf

### 3D Models and Design Files

STEP AP242

SOLIDWORKS

Creo

## Product Environment Compliance

### Compliance

| | |
|---|---|
| GADSL/IMDS | Product not active |
| China RoHS | Product not active |
| EU ELV | Product not active |
| Low-Halogen Status | Product not active |
| REACH SVHC | Product not active |
| EU RoHS | Product not active |

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest
- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

---

## Part Details

### General

| | |
|---|---|
| Status | Obsolete |
| Category | Terminal Blocks and Barrier Strip |
| Series | 39426 |
| Description | 12.00mm Pitch Beau EuroMax Right-Angle PCB Header, Closed Ends, 3 Circuits, with Threaded Retention Inserts |
| Application | Wire-to-Board |
| Component Type | PCB Header |
| Product Name | EuroMax Pluggable |
| Type | PCB Terminal Blocks and Connectors |
| UPC | 822348755653 |

### Electrical

| | |
|---|---|
| Current - Maximum per Contact | 85.0A |
| Voltage - Maximum | 600V |

### Physical

| | |
|---|---|
| Circuits (Loaded) | 3 |
| Color - Resin | Black |
| Entry Angle | N/A |
| Lock to Mating Part | Yes |
| Material - Plating Mating | Tin |
| Material - Plating Termination | Tin |
| Material - Resin | Nylon |

Obsolete

| | |
|---|---|
| Net Weight | 29.026/g |
| Number of Rows | 1 |
| Orientation | Right Angle |
| Panel Mount | No |
| PCB Retention | Yes |
| PCB Thickness - Recommended | 3.20mm |
| PC Tail Length | 4.30mm |
| Pitch - Mating Interface | 12.00mm |
| Pitch - Termination Interface | 12.00mm |
| Plating min - Mating | 3.810µm |
| Plating min - Termination | 3.810µm |
| Polarized to Mating Part | Yes |
| Shrouded | Closed Ends |
| Stackable | No |
| Temperature Range - Operating | 130°C |
| Termination Interface Style | Through Hole |
| Wire Size (AWG) | N/A |

## Mates With / Use With

### Mates with Part(s)

| Description | Part Number |
|---|---|
| 12.00mm Pitch Beau EuroMax Horizontal Plugs | 39421 |

Obsolete