
Part Number : 5013280222
Product Description : 3.30mm Pitch Wire-to-Wire Inertia Lock Receptacle Housing, Single Row, 2 Circuits, Red
Series Number : 501328
Status : Obsolete
Product Category : Connector Housings



Obsolete

Documents and Resources

Specifications

5013289200-200.pdf

PS-501328-001-001.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)6375-DC (05 Nov 2025) SCIP:Product not active
EU RoHS	Compliant per EU 2015/863

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Obsolete
Category	Connector Housings
Series	501328
Description	3.30mm Pitch Wire-to-Wire Inertia Lock Receptacle Housing, Single Row, 2 Circuits, Red
Application	Signal, Wire-to-Wire
Product Name	Inertia Lock
UPC	822348797011

Physical

Circuits (maximum)	2
Color - Resin	Red
Gender	Receptacle
Glow-Wire Capable	No
Lock to Mating Part	Yes
Material - Resin	Nylon
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	3.30mm
Polarized to Mating Part	Yes
Stackable	No
Temperature Range - Operating	-25° to +80°C

Obsolete

Mates With / Use With

Mates with Part(s)

Description	Part Number
3.30mm Pitch Wire-to-Wire Inertia Lock Plug Housing, Single Row, 2 Circuits, Red	5013290222
3.30mm Pitch Male Crimp Terminals	56265
3.30mm Pitch Male Crimp Terminals	56279

Use with Part(s)

Description	Part Number
3.30mm Pitch Wire-to-Wire Terminal Position Assurance (TPA) Retainer, 2 Circuits	513480213
Pico-Clasp Female Crimp Terminals	501395
3.30mm Pitch Female Crimp Terminals	500989

Obsolete