
Part Number : 638854200
Product Description : Mini-Mac Applicator
Series Number : 207127
Status : Active
Product Category : Applicators and Crimp Modules



Documents and Resources

Tooling Specifications

ATS-638854200-001.pdf
TM-640160065-001.pdf
TM-640160065CN-001.pdf
TM-640160065DE-001.pdf
TM-640160065SP-001.pdf
TM-640160065FR-001.pdf
TM-640160065IT-001.pdf
TM-640160065JP-001.pdf
TM-640160065KR-001.pdf
TM-640160065MY-001.pdf
TM-640160065PL-001.pdf
TM-640160065RU-001.pdf
TM-640160065SK-001.pdf
TM-640160065TH-001.pdf
TM-640160065VN-001.pdf
TM-640160065TW-001.pdf
TM-638800000-001.pdf
TM-638800000SP-001.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant

EU ELV	Not Relevant
Low-Halogen Status	Not Relevant
REACH SVHC	Not Relevant
EU RoHS	Not Relevant

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Active
Category	Applicators and Crimp Modules
Series	207127
Description	Mini-Mac Applicator
Comments	The Molex Tape Applicator requires an industry standard crimp press with a 4-way air like the Molex TM-3000: 638017200, 638017300, and the Molex TM-4000: 638017600
Function	Crimp
Geographic Area	Global
Level of Automation	Automatic, Semi-Automatic
More Detailed Tech Information	toolingsupport@molex.com
Product Name	Mini-Mac
Tool Type	Applicator

UPC	822348758838
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Mates With / Use With

Use with Part(s)

Description	Part Number
TM-3000 Universal Crimp Press, 120AC 50/60Hz, Used for product up to 10 AWG	638017200
TM-3000 Universal Crimp Press, 220AC 50/60Hz, Used for product up to 10 AWG	638017300
TM-4000 Universal Crimp Press, 240AC 50/60Hz, Used for product up to 4 AWG	638017600
Use With	Most Industry Standard Presses or Wire Process Machines

Applicable Parts

Description	Part Number
InsulKrimp Quick Disconnect,	190030042

Female, for 14-16 (2.00-1.30mm^2), Mylar Tape, Tab 6.35 x 0.81mm, Blue	
InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm^2), Mylar Tape, Tab 6.35 x 0.81mm	190030049
InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm^2), Mylar Tape, Tab 4.75 x 0.51mm, Blue	190030052
InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm^2), Mylar Tape, Tab 4.75 x 0.51mm	190030055
InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm^2), Mylar Tape, Tab 4.75 x 0.81mm, Aqua	190030058
InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm^2), Mylar Tape, Tab 4.75 x 0.81mm	190030061
InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm^2), Mylar Tape, Tab 5.21 x 0.51mm, Blue	190030077
InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm^2), Mylar Tape, Tab 5.21 x 0.81mm, Aqua	190030078
InsulKrimp Quick Disconnect, Female, Mylar Tape, Tab 4.75 x 0.51mm	190030133
InsulKrimp Quick Disconnect, Female, Mylar Tape, Tab 4.75 x 0.81mm	190030136
InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm^2) Wire, Mylar Tape, Tab 6.35 x 0.81mm	190170041
Quixon Quick Disconnect, InsulKrimp Style, Female, Partially Insulated Blue, 16-14 AWG, Mylar Tap	192740006

Quixon Quick Disconnect, InsulKrimp Style, Female, Fully Insulated Blue, 16-14 AWG, Mylar Tap	192760006