



NOTES
1. SEE SHEETS 2 TO 7 FOR UNSPECIFIED NOTES, DIMENSIONS AND PART NUMBERS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SUPERSEDING SD-93443-0010
EC NO: 110489 2016/11/16
DRWN: JFLETCHER 2016/12/16
CHK'D: FDUGGAN 2017/01/03
APPR: JDWALLACE

REV

A3

QUALITY SYMBOLS

| | |
|---|---|
| FS | = 0 |
| FC | = 0 |
| FD | = 0 |
| ▼ | = 0 |
| C | = 0 |
| ☒ | = 0 |
| ■ | = 0 |
| | = 0 |

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 2.0 °

| | | |
|---|---|---|
| 4 PLACES | ± | |
| 3 PLACES | ± | |
| 2 PLACES | ± | 0.1 |
| 1 PLACE | ± | 0.2 |
| 0 PLACES | ± | |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

| | |
|---|---|
| DIMENSION UNITS | MM |
| SCALE | 2:1 |
| DRWN BY | KREILLY |
| DATE | 2015/06/12 |
| CHK'D BY | FDUGGAN |
| DATE | 2015/09/14 |
| APPR BY | JDWALLACE |
| DATE | 2015/09/15 |
| DRAWING SIZE | A3 |
| THIRD ANGLE PROJECTION | |

molex


2CCT ML-XT CV CONNECTOR


PRODUCT CUSTOMER DRAWING


| SERIES | MATERIAL NUMBER | CUSTOMER |
|---|---|---|
| 93443 | SEE NOTES | GENERAL MARKET |

| DOCUMENT NUMBER | DOC TYPE | DOC PART | SHEET NUMBER |
|---|---|---|---|
| 934430010 | PSD | 000 | 1 OF 9 |

2CCT RECEPTACLE CONNECTOR




(ROTATED 90°)
DETAIL A
SCALE 3:1


DATE CODE: X XX XX
X — DAY: 1- 7

X
X — WEEK: 01 - 52


X
X — YEAR: 00 - 99


# — MACHINE NO. 1


EXAMPLE: 11315 = DAY 1, WEEK 13, YEAR 15
i.e. 23rd OF MARCH 2015





2CCT RECEPTACLE CONNECTOR WITH HEATSHRINK HOUSING ULTRASONICALLY WELDED IN PLACE




NOTES:
1. MATERIAL
   HOUSING: NYLON 30%GF
   BACK SEAL: HIGH CONSISTENCY RUBBER
2. CIRCUIT IDENTIFICATION
3. JACKET RANGE LARGE = 2.7mm TO 3.6mm (SEAL COLOUR: LIGHT BLUE)
   JACKET RANGE SMALL = 1.4mm TO 2.7mm (SEAL COLOUR: BURNT ORANGE)
4. SEE SHEET 3 FOR FINAL PART NUMBER DESIGNATION
5. SEE 934430010 PS P FOR PRODUCT SPECIFICATION
6. SEE 934430002 PS K OR 934430010 PS K FOR PACKAGING SPECIFICATION

LAST INSPECTION NUMBER: 6
INSPECTION NUMBERS 1-50 RESERVED FOR SHEET 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SUPERSEDING SD-93443-0010
EC NO: 110489 2016/11/16
DRWN: JFLETCHER 2016/12/16
CHK'D: FDUGGAN 2017/01/03
APPR: JDWALLACE
REV

A3

QUALITY SYMBOLS
F = 0
C = 0
F = 0
▼ = 0
C = 0
⊠ = 0
■ = 0
= 0

GENERAL TOLERANCES (UNLESS SPECIFIED)
ANGULAR TOL ± 2.0 °
4 PLACES ±
3 PLACES ±
2 PLACES ± 0.1
1 PLACE ± 0.2
0 PLACES ±
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION UNITS: MM
SCALE: 1.5:1
DRWN BY: KREILLY DATE: 2015/06/12
CHK'D BY: FDUGGAN DATE: 2015/09/14
APPR BY: JDWALLACE DATE: 2015/09/15
DRAWING SIZE: A3
THIRD ANGLE PROJECTION


molex

2CCT ML-XT CV CONNECTOR

PRODUCT CUSTOMER DRAWING

| SERIES | MATERIAL NUMBER | CUSTOMER |
|---|---|---|
| 93443 | SEE SHEET 3 | GENERAL MARKET |

| DOCUMENT NUMBER | DOC TYPE | DOC PART | SHEET NUMBER |
|---|---|---|---|
| 934430010 | PSD | 000 | 2 OF 9 |




2CCT RECEPTACLE CONNECTOR

| 93444 | 1 | _ | _ _ |
|---|---|---|---|

SERIES NO.

CIRCUIT SIZE
1 = 2CCT

ASSEMBLY OPTIONS
1 = RECEP ASSEMBLY FOR WIRE JACKET RANGE ∅1.4mm-2.7mm (NOTE 2)
2 = RECEP ASSEMBLY FOR WIRE JACKET RANGE: ∅2.7mm-3.6mm (NOTE 2)
5 = RECEP ASSEMBLY & HEATSHR FOR WIRE JACKET RANGE: ∅1.4mm-2.7mm (NOTE 3)
6 = RECEP ASSEMBLY & HEATSHR FOR WIRE JACKET RANGE: ∅2.7mm-3.6mm (NOTE 3)

COLOUR
01 = BLACK
02 = GREY 06 = WHITE
03 = GREEN 07 = BROWN
04 = BLUE 08 = ORANGE
05 = YELLOW 09 = RED

EXAMPLE:
2CCT RECEP BLACK WITH LARGE SEAL (NOTE 4), AND HEATSHRINK = 93444-1601

Notes:
1. SEE SHEET 2 FOR UNSPECIFIED NOTES AND DIMENSIONS
2. BACK COVER HOUSING COLOUR: BLACK
3. HEATSHRINK HOUSING COLOUR: BLACK
4. JACKET RANGE LARGE = 2.7mm TO 3.6mm (SEAL COLOUR: LIGHT BLUE)
   JACKET RANGE SMALL = 1.4mm TO 2.7mm (SEAL COLOUR: BURNT ORANGE)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SUPERSEDING SD-93443-0010
EC NO: 110489 2016/11/16
DRWN: JFLETCHER 2016/12/16
CHK'D: FDUGGAN 2017/01/03
APPR: JDWALLACE

A3

REV

QUALITY SYMBOLS
= 0
= 0
= 0
= 0
= 0
= 0
= 0
= 0

GENERAL TOLERANCES (UNLESS SPECIFIED)
ANGULAR TOL ± 2.0 °

| | | |
|---|---|---|
| 4 PLACES | ± | |
| 3 PLACES | ± | |
| 2 PLACES | ± | 0.1 |
| 1 PLACE | ± | 0.2 |
| 0 PLACES | ± | |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

| DIMENSION UNITS | SCALE |
|---|---|
| MM | 2:1 |

| DRWN BY | DATE |
|---|---|
| KREILLY | 2015/06/12 |
| CHK'D BY | DATE |
| FDUGGAN | 2015/09/14 |
| APPR BY | DATE |
| JDWALLACE | 2015/09/15 |

DRAWING SIZE: A3
THIRD ANGLE PROJECTION


molex


2CCT ML-XT CV CONNECTOR


PRODUCT CUSTOMER DRAWING


| SERIES | MATERIAL NUMBER | CUSTOMER |
|---|---|---|
| 93443 | SEE CHART | GENERAL MARKET |


| DOCUMENT NUMBER | DOC TYPE | DOC PART | SHEET NUMBER |
|---|---|---|---|
| 934430010 | PSD | 000 | 3 OF 9 |








2CCT RECEP. WEDGELOCK

| 93447 | 1 | 0 | _ _ |
|---|---|---|---|

SERIES NO.

CIRCUIT SIZE
1 = 2CCT

COLOUR/KEYING
03 = GREEN (NO KEY)
12 = GREY A KEY
21 = BLACK B KEY
33 = GREEN C KEY
47 = BROWN D KEY

NOTES
1. MATERIAL
   HOUSING: NYLON 30%GF
2. INSPECTION NUMBERS 51-100
   RESERVED FOR SHEET 4
3. PART NUMBER 934471003 SHOWN
   LAST INSPECTION NUMBER 54

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SUPERSEDING SD-93443-0010
EC NO: 110489 2016/11/16
DRWN: JFLETCHER 2016/12/16
CHK'D: FDUGGAN 2017/01/03
APPR: JDWALLACE

REV

A3

QUALITY SYMBOLS
FA = 0
FC = 0
FB = 0
▼ = 0
C = 0
☒ = 0
■ = 0
▽ = 0

GENERAL TOLERANCES (UNLESS SPECIFIED)
ANGULAR TOL ± 2.0 °

| | |
|---|---|
| 4 PLACES | ± |
| 3 PLACES | ± |
| 2 PLACES | ± 0.1 |
| 1 PLACE | ± 0.2 |
| 0 PLACES | ± |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION UNITS: MM
SCALE: 5:1
DRWN BY: KREILLY DATE: 2015/06/12
CHK'D BY: FDUGGAN DATE: 2015/09/14
APPR BY: JDWALLACE DATE: 2015/09/15
DRAWING SIZE: A3
THIRD ANGLE PROJECTION

molex


2CCT ML-XT CV CONNECTOR


PRODUCT CUSTOMER DRAWING


| SERIES | MATERIAL NUMBER | CUSTOMER |
|---|---|---|
| 93443 | SEE CHART | GENERAL MARKET |

| DOCUMENT NUMBER | DOC TYPE | DOC PART | SHEET NUMBER |
|---|---|---|---|
| 934430010 | PSD | 000 | 4 OF 9 |


## 934471012 (KEY A)
## COLOUR GREY









## 934471021 (KEY B)
## COLOUR BLACK









## 934471033 (KEY C)
## COLOUR GREEN








## 934471047 (KEY D)
## COLOUR BROWN






NOTES:
1. MATERIAL PA66 30%GF
2. SEE SHEET 4 FOR UNSPECIFIED NOTES & DIMENSIONS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SUPERSEDING SD-93443-0010
EC NO: 110489 2016/11/16
DRWN: JFLETCHER 2016/12/16
CHK'D: FDUGGAN 2017/01/03
APPR: JDWALLACE

A3

REV

QUALITY SYMBOLS
= 0
= 0
= 0
= 0
= 0
= 0
= 0
= 0

GENERAL TOLERANCES (UNLESS SPECIFIED)
ANGULAR TOL ± 2.0 °
4 PLACES ±
3 PLACES ±
2 PLACES ± 0.1
1 PLACE ± 0.2
0 PLACES ±
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION UNITS: MM
SCALE: 3:1
DRWN BY: KREILLY DATE: 2015/06/12
CHK'D BY: FDUGGAN DATE: 2015/09/14
APPR BY: JDWALLACE DATE: 2015/09/15
DRAWING SIZE: A3
THIRD ANGLE PROJECTION

molex


2CCT ML-XT CV CONNECTOR


PRODUCT CUSTOMER DRAWING

| SERIES | MATERIAL NUMBER | CUSTOMER |
|---|---|---|
| 93443 | | GENERAL MARKET |

| DOCUMENT NUMBER | DOC TYPE | DOC PART | SHEET NUMBER |
|---|---|---|---|
| 934430010 | PSD | 000 | 5 OF 9 |

2CCT PLUG CONNECTOR





DATE CODE: X XX XX
X —— DAY: 1 - 7

X, X —— WEEK: 01 - 52


X, X —— YEAR: 00 - 99


# —— MACHINE NO. 1


EXAMPLE: 11315 = DAY 1, WEEK 13, YEAR 15
i.e. 23RD OF MARCH 2015





(ROTATED 90°)
DETAIL B
SCALE 3:1














2CCT PLUG CONNECTOR WITH HEATSHRINK HOUSING ULTRA SONICALLY WELDED IN PLACE






NOTES
1. MATERIAL
   HOUSING: NYLON 30%GF
   PLUG SEAL: SILICONE RUBBER
   BACK SEAL: HIGH CONSISTENCY RUBBER
2. CIRCUIT IDENTIFICATION
3. JACKET RANGE LARGE = 2.7mm TO 3.6mm (SEAL COLOUR: LIGHT BLUE)
   JACKET RANGE SMALL = 1.4mm TO 2.7mm (SEAL COLOUR: BURNT ORANGE)
4. SEE SHEET 7 FOR FINAL PART NUMBER DESIGNATION
5. INSPECTION NUMBERS 101-150 RESERVED FOR SHEET 6
   LAST INSPECTION NUMBER 106.
   INSPECTION NUMBERS 103 & 107 DELETED.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SUPERSEDING SD-93443-0010
EC NO: 110489 2016/11/16
DRWN: JFLETCHER 2016/12/16
CHK'D: FDUGGAN 2017/01/03
APPR: JDWALLACE

REV

A3

QUALITY SYMBOLS
F A = 0
F C = 0
F D = 0
▼ = 0
C = 0
☒ = 0
■ = 0
▽ = 0

GENERAL TOLERANCES (UNLESS SPECIFIED)
ANGULAR TOL ± 2.0 °
4 PLACES ±
3 PLACES ±
2 PLACES ± 0.1
1 PLACE ± 0.2
0 PLACES ±
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION UNITS: MM
SCALE: 1.5:1
DRWN BY: KREILLY DATE: 2015/06/12
CHK'D BY: FDUGGAN DATE: 2015/09/14
APPR BY: JDWALLACE DATE: 2015/09/15
DRAWING SIZE: A3
THIRD ANGLE PROJECTION


molex

2CCT ML-XT CV CONNECTOR

PRODUCT CUSTOMER DRAWING

| SERIES | MATERIAL NUMBER | CUSTOMER |
|---|---|---|
| 93443 | SEE SHEET 7 | GENERAL MARKET |

| DOCUMENT NUMBER | DOC TYPE | DOC PART | SHEET NUMBER |
|---|---|---|---|
| 934430010 | PSD | 000 | 6 OF 9 |




## 2CCT PLUG CONNECTOR

| 93445 | 1 | _ | _ _ |
|---|---|---|---|

SERIES NO.

CIRCUIT SIZE
1 = 2CCT

KEYING/ASSY OPTIONS
1 = PLUG ASSEMBLY FOR WIRE JACKET RANGE ∅1.4mm-2.7mm (NOTE 2)
2 = PLUG ASSEMBLY FOR WIRE JACKET RANGE: ∅2.7mm-3.6mm (NOTE 2)
5 = PLUG ASSEMBLY & HEATSHR FOR WIRE JACKET RANGE: ∅1.4mm-2.7mm (NOTE 3)
6 = PLUG ASSEMBLY & HEATSHR FOR WIRE JACKET RANGE: ∅2.7mm-3.6mm (NOTE 3)

COLOUR
01 = BLACK
02 = GREY 06 = WHITE
03 = GREEN 07=BROWN
04 = BLUE 08 = ORANGE
05 = YELLOW 09 = RED

EXAMPLE:
2CCT PLUG BLACK WITH LARGE SEAL (NOTE 4), AND HEATSHRINK = 93445-1601

Notes:
1. SEE SHEET 2 FOR UNSPECIFIED NOTES AND DIMENSIONS
2. BACK COVER HOUSING COLOUR: BLACK
3. HEATSHRINK HOUSING COLOUR: BLACK
4. JACKET RANGE LARGE = 2.7mm TO 3.6mm (SEAL COLOUR: LIGHT BLUE)
   JACKET RANGE SMALL = 1.4mm TO 2.7mm (SEAL COLOUR: BURNT ORANGE)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SUPERSEDING SD-93443-0010
EC NO: 110489 2016/11/16
DRWN: JFLETCHER 2016/12/16
CHK'D: FDUGGAN 2017/01/03
APPR: JDWALLACE

QUALITY SYMBOLS
F = 0
E = 0
D = 0
▼ = 0
C = 0
☒ = 0
■ = 0
B = 0

GENERAL TOLERANCES (UNLESS SPECIFIED)
ANGULAR TOL ± 2.0 °

| | | |
|---|---|---|
| 4 PLACES | ± | |
| 3 PLACES | ± | |
| 2 PLACES | ± | 0.1 |
| 1 PLACE | ± | 0.2 |
| 0 PLACES | ± | |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

| DIMENSION UNITS | SCALE |
|---|---|
| MM | 2:1 |
| DRWN BY | DATE |
| KREILLY | 2015/06/12 |
| CHK'D BY | DATE |
| FDUGGAN | 2015/09/14 |
| APPR BY | DATE |
| JDWALLACE | 2015/09/15 |
| DRAWING SIZE | THIRD ANGLE PROJECTION |
| A3 | |

molex


2CCT ML-XT CV CONNECTOR


PRODUCT CUSTOMER DRAWING

| SERIES | MATERIAL NUMBER | CUSTOMER |
|---|---|---|
| 93443 | SEE CHART | GENERAL MARKET |

| DOCUMENT NUMBER | DOC TYPE | DOC PART | SHEET NUMBER |
|---|---|---|---|
| 934430010 | PSD | 000 | 7 OF 9 |

A3 REV






2CCT PLUG WEDGELOCK


| 93448 | 1 | 0 | _ _ |
|---|---|---|---|


SERIES NO.

CIRCUIT SIZE
1 = 2CCT

COLOUR/KEYING
03 = GREEN (NO KEY)
12 = GREY A KEY
21 = BLACK B KEY
33 = GREEN C KEY
47 = BROWN D KEY




NOTES
1. MATERIAL
   HOUSING: NYLON 30%GF
2. INSPECTION NUMBERS 151-200 RESERVED FOR SHEET 8
3. PART NUMBER 934481003 SHOWN
LAST INSPECTION NUMBER 155

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SUPERSEDING SD-93443-0010
EC NO: 110489 2016/11/16
DRWN: JFLETCHER 2016/12/16
CHK'D: FDUGGAN 2017/01/03
APPR: JDWALLACE

REV A3

QUALITY SYMBOLS
F = 0
E = 0
D = 0
▼ = 0
C = 0
☒ = 0
■ = 0
B = 0

GENERAL TOLERANCES (UNLESS SPECIFIED)
ANGULAR TOL ± 2.0 °

| | |
|---|---|
| 4 PLACES | ± |
| 3 PLACES | ± |
| 2 PLACES | ± 0.1 |
| 1 PLACE | ± 0.2 |
| 0 PLACES | ± |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION UNITS: MM
SCALE: 4:1
DRWN BY: KREILLY DATE: 2015/06/12
CHK'D BY: FDUGGAN DATE: 2015/09/14
APPR BY: JDWALLACE DATE: 2015/09/15
DRAWING SIZE: A3
THIRD ANGLE PROJECTION

molex


2CCT ML-XT CV CONNECTOR


PRODUCT CUSTOMER DRAWING

| SERIES | MATERIAL NUMBER | CUSTOMER |
|---|---|---|
| 93443 | SEE CHART | GENERAL MARKET |


| DOCUMENT NUMBER | DOC TYPE | DOC PART | SHEET NUMBER |
|---|---|---|---|
| 934430010 | PSD | 000 | 8 OF 9 |


## 934481012 (KEY A)
## COLOUR GREY









## 934481021 (KEY B)
## COLOUR BLACK









## 934481033 (KEY C)
## COLOUR GREEN




## 934481047 (KEY D)
## COLOUR BROWN




NOTES:
1. MATERIAL PA66 30%GF
2. SEE SHEET 8 FOR UNSPECIFIED NOTES & DIMENSIONS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SUPERSEDING SD-93443-0010
EC NO: 110489 2016/11/16
DRWN: JFLETCHER 2016/12/16
CHK'D: FDUGGAN 2017/01/03
APPR: JDWALLACE

REV

A3

QUALITY SYMBOLS
= 0
= 0
= 0
= 0
= 0
= 0
= 0
= 0

GENERAL TOLERANCES (UNLESS SPECIFIED)
ANGULAR TOL ± 2.0 °

| | | |
|---|---|---|
| 4 PLACES | ± | |
| 3 PLACES | ± | |
| 2 PLACES | ± | 0.1 |
| 1 PLACE | ± | 0.2 |
| 0 PLACES | ± | |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION UNITS: MM
SCALE: 3:1
DRWN BY: KREILLY DATE: 2015/06/12
CHK'D BY: FDUGGAN DATE: 2015/09/14
APPR BY: JDWALLACE DATE: 2015/09/15
DRAWING SIZE: A3
THIRD ANGLE PROJECTION

molex

2CCT ML-XT CV CONNECTOR

PRODUCT CUSTOMER DRAWING

| SERIES | MATERIAL NUMBER | CUSTOMER |
|---|---|---|
| 93443 | | GENERAL MARKET |

| DOCUMENT NUMBER | DOC TYPE | DOC PART | SHEET NUMBER |
|---|---|---|---|
| 934430010 | PSD | 000 | 9 OF 9 |