1393454-2 ✔ ACTIVE


AMP | Timer Connector System

TE Internal #: 1393454-2

28 Position, Black, Cover, PBT GF20, 90° Cable Exit, -40 – 140 °C [-40 – 284 °F], Timer Connector System

View on TE.com >

Automotive Parts > Automotive Connector Accessories > Automotive Connector Caps & Covers



Number of Positions: **28**

Primary Product Color: **Black**

Protection & Strain Relief Accessory Type: **Cover**

Primary Product Material: **PBT GF20**

Cable Exit Angle: **90°**

Features

Product Type Features

Sealable	Yes
Protection & Strain Relief Accessory Type	Cover

Configuration Features

Number of Positions	28

Body Features

Primary Product Color	Black
Primary Product Material	PBT GF20
Cable Exit Angle	90°

Mechanical Attachment

Strain Relief	Without

Dimensions

Compatible Cable Bundle Diameter Range	10.75 mm[.423 in]

Usage Conditions

Operating Temperature (Max)	140 °C[284 °F]
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]

Packaging Features

Packaging Method	Bag
Packaging Quantity	1440

Other

Serviceable	Yes

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Also in the Series | Timer Connector System



Automotive Connector Locks & Position Assurance(15)




Automotive Housings(186)




Automotive Seals & Cavity Plugs(32)



Automotive Signal & Power Connector Housings(136)




Crimp Terminal Housings(13)



Other Automotive Connector Accessories(1)


Customers Also Bought



TE Part #YIPT-2PXI-00000000
IPT-2pxi



TE Part #1393436-2
V23542C1028B102=28P KABELBAUMS




TE Part #1393454-7
V23542C1052Z102=52P ABDECKKAPP



TE Part #2339729-1
CAP PIN ASSY, 4P, FLANGE, SEALED COAX




TE Part #2355806-1
CONNECTOR CLIP,CONN KIT



TE Part #2-2366509-2
48POS,HYBRID,PIN HSG ASSY,SLD, COD B



TE Part #2405028-1
26POS,HYBRID,PIN HSG ASSY,SLD, COD A



TE Part #1393457-4
V23540M1000Z110=DICHTTULLE (F1



TE Part #936204-1
090III 18P PLUG ASSY



TE Part #2310923-2
2P 8MM HV,PLUG HSG,ASSY,SEALED, V0,B

Documents

Product Drawings

V23542C1028Z102=28P ABDECKKAPP

English

V23542C1028Z102=28P ABDECKKAPP

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_1393454-2_A1.2d_dxf.zip

English

Customer View Model

ENG_CVM_1393454-2_A1.3d_igs.zip

English

Customer View Model

ENG_CVM_1393454-2_A1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

product-1393454-2_datasheet

English