101A062-4/42-0 ✔ ACTIVE

RAYCHEM

TE Internal #: 843532-000

Dual Wall Heat Shrink Cap, 4 Material Code, 10 Material Systems Code, Adhesive Precoat, -55 – 135 °C [-67 – 275 °F], /42 Precoat Adhesive Code

View on TE.com >

Wire Protection & Management > Heat Shrink Shapes > Heat Shrink Caps



Wall Type: **Dual Wall**

Material Code: **4**

Material Systems Code: **10**

Adhesive Requirement: **Adhesive Precoat**

Operating Temperature Range: **-55 – 135 °C [-67 – 275 °F]**

Features

Product Type Features

Wall Type	Dual Wall

Configuration Features

Adhesive Requirement	Adhesive Precoat

Body Features

Shrink Ratio	2:1
Primary Product Color	Black
Flexibility	Flexible
Lining Type	Adhesive
Primary Product Material	Crosslinked Polyolefin
Sealant Type	Anti-Flux
Material Code	4
Material Systems Code	10

Dimensions

Recovered Wall Thickness (Nominal)	2.29 mm[.09 in]
Product Length	68 mm[2.7 in]
Wall Thickness	Medium
Recovered Inside Diameter (Max)	11.4 mm[.45 in]
Expanded Inside Diameter (Min)	25.4 mm[1 in]

Usage Conditions

Flammability Performance	Flame-Retardant
Resistance Properties	Immersion Protection
Resistance Protection	Suitable for occasional exposure to fluids
Operating Temperature Range	-55 – 135 °C[-67 – 275 °F]

Other

Molded Part Shape Code	101A
Size Code	62
Adhesive Code	/42 Precoat

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Customers Also Bought

TE Part #BAG0165-00
MPDSM-F5TMS2-12-52-1-C-H

Documents

Product Drawings

101A062-4/42-0

English

Datasheets & Catalog Pages

1654025_Sec4_-4

English

1654025_Sec4_101A011to094

English

Raychem Molded Parts Visual Guide

English

Product Specifications

Product Specification

English