D-150-0179 ✔ ACTIVE

RAYCHEM

TE Internal #: 193495-000

Red, 20 – 22 AWG, .5 – .34 mm² Wire, Fully Insulated, Sealable, Copper Alloy, 105.92 mm [4.17 in] Length, Package, Closed Barrel

View on TE.com >

Terminals & Splices > Splices



Wire Size: **.5 – .34 mm²**

Sealable: **Yes**

Contact Base Material: **Copper Alloy**

Primary Product Color: **Red**

Features

Product Type Features

Sealable	Yes

Configuration Features

Splice Configuration	Single to Single

Body Features

Product Weight	11.34 g
Primary Product Color	Red

Contact Features

Contact Base Material	Copper Alloy
Barrel Type	Closed

Termination Features

Termination Method to Wire & Cable	Crimp, Solder

Dimensions

Wire Size	.5 – .34 mm²
Product Length	105.92 mm[4.17 in]

Usage Conditions

Insulation Option	Fully Insulated
Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]

Industry Standards

Government Qualified Splice	No

Packaging Features

Packaging Quantity	10
Packaging Method	Package

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (.37% in Solder) **Article Safe Usage Statements:** Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # EG8162-000
HL1920E-230V-EURO

Customers Also Bought



TE Part #594677-000
D-150-0180

TE Part #YMC506E-N-11-2SN00
PLUG SKT ASSY MC5 11-2 ARRANGEMENT



TE Part #175505-000
202F211-71/180-0




TE Part #253789-000
55A1831-22-MST3-9CS2275




TE Part #727844-000
D-150-0175



TE Part #814863-000
202D932-4-0



TE Part #YCTJ122E04FC015000
ELEC MODULE



TE Part #200838-2
BLOCK,34 POSN,M SERIES



TE Part #203540-1
GROUNDING CONN,14 POS



TE Part #1-1437558-4
MTA106F=(MSTA) SW TOG SPDT

Documents

Product Drawings

D-150-0179

English

Datasheets & Catalog Pages

1654025_Sec8_D-150

English

1654025_Sec8_D-150_D-500_DK-621

English

Harness Repair Products Quick Reference Guide

English

Product Specifications

Installation Procedure for TE Connectivity Shielded Cable Splice Kits with Mini-Seal Crimp Primary Splices

English