# 202D185-12-0 ✔ ACTIVE


RAYCHEM

TE Internal #: 811100-000

Straight Heat Shrink Boot, 202 Shape Code, Lipped, 12 Material Code, 200 Material Systems Code, Adhesive Purchased Separately, -67 – 392 °C

View on TE.com >

Wire Protection & Management > Heat Shrink Shapes > Heat Shrink Boots > Bulbous Heat Shrink Boots: Lipped, Straight



Body Orientation: **Straight**

Molded Part Shape Code: **202**

Lipped: **Yes**

Material Code: **12**

Material Systems Code: **200**

All Bulbous Heat Shrink Boots: Lipped, Straight (0)

## Features

### Configuration Features

| | |
|---|---|
| Lipped | Yes |
| Adhesive Requirement | Adhesive Purchased Separately |

### Body Features

| | |
|---|---|
| Primary Product Material | Modified Fluoro-Elastomer |
| Material Code | 12 |
| Material Systems Code | 200 |

### Housing Features

| | |
|---|---|
| Body Orientation | Straight |

### Dimensions

| | |
|---|---|
| Compatible Cable Diameter (Max) | 24 mm, 26 mm, 30 mm, 32 mm[.94 in][1.02 in][1.18 in][1.25 in] |
| Compatible Cable Diameter Range | 20.3 – 45.7 mm[.799 – 1.799 in] |

### Usage Conditions

| | |
|---|---|
| Operating Temperature Range | -67 – 392 °C |
| Resistance Protection | Long-Term Fluid Immersion at High Temperatures |

### Industry Standards

| | |
|---|---|
| Compatible With Approved Standards Products | BS-G-198-5-DD, DEF Std 59-97 Issue 3 Type DD, SAE AS I 81765/4 |

### Other

| | |
|---|---|
| Molded Part Shape Code | 202 |

## Product Compliance


For compliance documentation, visit the product page on TE.com>

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Out of Scope |
| China RoHS 2 Directive MIIT Order No 32, 2016 | 有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250)<br>Candidate List Declared Against: JUNE 2025 (250)<br>Does not contain REACH SVHC |
| Halogen Content | Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



TE Part # 195133-000
S1255-04-3/4X100FT

## Customers Also Bought



TE Part #114017-ZZ
SEALING PLUG, SIZE 12/16, WHT



TE Part #CAT-D48-ST273
DEUTSCH Connector Solid Contacts




TE Part #CAT-D487-W416
Wedgelocks: DEUTSCH DT



TE Part #DT06-2S
PLG, 2P, GRY, N



TE Part #DT04-2P
REC, 2P, GRY, N



TE Part #281934-2
SINGLE WIRE SEAL



TE Part #CAT-AM71-CH8172
AMP SUPERSEAL 1.5MM, CONNECTOR HOUSING

## Documents

### Product Drawings

202D185-12-0

English

### Datasheets & Catalog Pages

1654025_Sec4_-12

English

Raychem Molded Parts Visual Guide

English

### Product Specifications

Product Specification

English