# B-023-00-55-22-9 ✔ ACTIVE

RAYCHEM

TE Internal #: A29652-000

4.32 mm [.17 in] Expanded Inside, Shrinks To 3 mm [.118 in], Pre-Installed Lead, SolderSleeve Shield Terminators

View on TE.com >

Wire Protection & Management > Interconnect Devices > SolderSleeve Shield Terminators



Operating Temperature (Max): **200 °C [ 392 °F ]**

Expanded Inside Diameter (Min): **4.32 mm [ .17 in ]**

Recovered Inside Diameter (Max): **3 mm [ .118 in ]**

Pre-Installed Lead: **Yes**

Resistance Properties: **Immersion Protection**

## Features

### Product Type Features

| | |
|---|---|
| Interconnect Device Splice Type | SolderSleeve |

### Configuration Features

| | |
|---|---|
| Pre-Installed Lead | Yes |

### Dimensions

| | |
|---|---|
| Product Length | 31 mm[1.221 in] |
| Expanded Inside Diameter (Min) | 4.32 mm[.17 in] |
| Recovered Inside Diameter (Max) | 3 mm[.118 in] |

### Usage Conditions

| | |
|---|---|
| Operating Temperature (Max) | 200 °C[392 °F] |
| Resistance Properties | Immersion Protection |
| Wire Temperature (Max) | 200 °C |

## Product Compliance

For compliance documentation, visit the product page on TE.com>

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
| EU ELV Directive 2000/53/EC | Compliant with Exemptions |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250) |

| | |
|---|---|
| | Candidate List Declared Against: JAN 2025 (247)<br>SVHC > Threshold:<br>Pb (93.5% in Solder)<br>**Article Safe Usage Statements:**<br>Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content | Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts




TE Part # EG8162-000
HL1920E-230V-EURO

## Customers Also Bought



TE Part #466338-000
HEXA6-AB-00-02-A25-1




TE Part #451385-000
D-500-0467-2-613-079



TE Part #F77315-000
B-023-07-55-22-9



TE Part #EG9627-000
D-200-86



TE Part #245209-000
TXR40SJ00-1210AI




TE Part #D82242-000
HEX40L-AC-00-09-A1-1




TE Part #F00708-000
HEX40-AC-45-23-A13-2



TE Part #D81155-000
202D211-25-71/225-0



TE Part #204760-1
SEALING PLUG, SIZE 22



TE Part #322325
DG 22-16COM 22-18MIL HT BUTT

## Documents

### Product Drawings

B-023-00-55-22-9

English

### Product Specifications

Installation Procedure for B-023-XX

English

Product Specification

English