D-100-34 ✔ ACTIVE


RAYCHEM

TE Internal #: 624036-000

6.35 mm [.25 in] Expanded Inside, Shrinks To 1.77 mm [.069 in], Pre-Installed Lead, 22 AWG, .34 mm² Wire, SolderSleeve Shield Terminators

View on TE.com >

Wire Protection & Management > Interconnect Devices > SolderSleeve Shield Terminators



Operating Temperature (Max): **150 °C [302 °F]**

Expanded Inside Diameter (Min): **6.35 mm [.25 in]**

Recovered Inside Diameter (Max): **1.77 mm [.069 in]**

Pre-Installed Lead: **Yes**

Resistance Properties: **Splash Protection**

Features

Product Type Features

Interconnect Device Splice Type	SolderSleeve

Configuration Features

Pre-Installed Lead	Yes

Body Features

Lead Color	White

Dimensions

Expanded Inside Diameter (Min)	6.35 mm[.25 in]
Recovered Inside Diameter (Max)	1.77 mm[.069 in]
Wire Size	22 AWG

Usage Conditions

Operating Temperature (Max)	150 °C[302 °F]
Resistance Properties	Splash Protection

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant

China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (37% in Solder) **Article Safe Usage Statements:** Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # EG8162-000
HL1920E-230V-EURO

Customers Also Bought




TE Part #566586-000
202K163-25/225-0



TE Part #820058-000
562A011-25-0



TE Part #D369-P33-NP1
369 3 WAY PLUG, CRIMP, PIN




TE Part #206793-1
SZ 20,SOCKET, NON-MAG



TE Part #5-338313-2
9POS.HD-20 REC.ASSY



TE Part #2000676-2
Keyed Guide Pin, Machined, Vita 46




TE Part #1-2000713-0
RA Keyed Guide Mod, Vita 46, Machined



TE Part #2102771-1
DC, 7Row, Center, MULTIGIG RT 2R



TE Part #2102772-1
DC, 7Row, Half Left End, MULTIGIG RT 2R



TE Part #2102772-4
DC,7ROW,1 /2LEFTENDMULTIGIGRT2R SNPB60/40

Documents

Product Drawings

D-100-34

English

Product Specifications

Product Specification

English