D-602-0126 ✔ ACTIVE


RAYCHEM

TE Internal #: 047703-000

Pin

View on TE.com >

Cable Assemblies > Data Bus Components > Data Bus Connectors



Contact Type: **Pin**

Features

Contact Features

Contact Type	Pin

Termination Features

Termination Method to Wire & Cable	Solder

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (.37% in Solder) **Article Safe Usage Statements:** Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 750984-004
10612-24-9


Customers Also Bought




TE Part #617917-000
TMS-SCE-2X-1K-1/4-9



TE Part #811261-000
202D253-12-0



TE Part #902973-000
DK-621-0411-P




TE Part #624512-000
D-146-0207




TE Part #A11769-000
D-150-0321



TE Part #E57794-000
202G621-780-0




TE Part #2-320564-2
TERMINAL,PIDG R IR 14 3/8



TE Part #925486-1
MOD. IV SNAP-IN HSG 96 POS.

TE Part #313336-1
LOCATOR



TE Part #104480-9
SHORT POINT RECP CONT LP

Documents

Product Drawings

D-602-0126

English

Datasheets & Catalog Pages

Data Bus Components Brochure

English

Product Specifications

SolderTact Military-Grade Electrical Contacts for Solder Termination

English

Termination Procedure for 748 Series SolderTacts Contacts for Twisted Pair Cable D-602-0126, D-602-0127