CB5383-000 ✔ ACTIVE

RAYCHEM | RAYCHEM SST/SST-FR

TE Internal #: CB5383-000

Heat Shrink Tubing, Black, 3:1, Single Wall, Shrinks To 19.05 mm [.75 in], Irradiated Modified Polyolefin, RAYCHEM SST/SST-FR

View on TE.com >

Heat Shrink Tubing > SST Heat Shrink Tubing



Tubing Product Type: **Heat Shrink Tubing**

Primary Product Color: **Black**

Wall Type: **Single Wall**

Expanded Inside Diameter (Min): **50.8 mm [2 in]**

Recovered Inside Diameter (Max): **19.05 mm [.75 in]**

All SST Heat Shrink Tubing (63)

Features

Product Type Features

Tubing Product Type	Heat Shrink Tubing
Wall Type	Single Wall

Body Features

Fluid Type	De-Icing Fluid, Hydraulic Fluid, Lubricating Oil, Turbine Fuel
Primary Product Color	Black
Shrink Ratio	3:1
Primary Product Material	Irradiated Modified Polyolefin
Flexibility	Semi-Rigid

Dimensions

Expanded Inside Diameter (Min)	50.8 mm[2 in]
Recovered Inside Diameter (Max)	19.05 mm[.75 in]
Tubing Size Range	19.05 – 50.8 mm[.75 – 2 in]

Usage Conditions

Resistance Properties	Moisture
Shrink Temperature (Min)	90 °C
Tubing Flammability Type	Non-Flame-Retardant

Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]
Recovery Temperature	121 °C

Operation/Application

Mechanical Resistance	Abrasion, Fluids, Moisture

Product Availability

Applicable Region	Global

Packaging Features

Packaging Method	Piece

Other

Meets Low Outgassing Requirements	No
Product Source	Czech Republic

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 2394980-1
MOD 105 TUN OVEN, 69" ENTRY, STARDARD




TE Part # 2326489-1
MODEL 105 TUNNEL OVEN, 36" ENTRY, STANDA



TE Part # 955018-000
CLTEQ-M105-TUNNEL-OVEN

Also in the Series | RAYCHEM SST/SST-FR




Heat Shrink Tubing(65)



Single Wall Tubing(62)

Customers Also Bought



TE Part #CAT-HST-SST
SST Heat Shrink Tubing



TE Part #B1442N
WHIP,MC,1/2,144-174MHZ TUN,2.4, CH,NGP,

TE Part #MB8UP22
MOUNT,BMM.3/4,58U,UHFM



TE Part #BB1442N
WHIP,MC,1/2,144-174MHZ TUN,2.4, BK,NGP,



TE Part #GB8P25
MOUNT,MGM,3/4,58A,UHFM



TE Part #NB14254001
VERSAFIT-1-0-FSP



TE Part #5-1625890-8
2W SM M/OX 5% 560R



TE Part #LBTB3400
MOUNT,TKG,3/4 BLK,STD,L BRKT

TE Part #853758-000

S1171-4-300

Documents

Product Drawings

SST-48-20/226

English

Datasheets & Catalog Pages

Selecting_Correct_Tubing_1216

English

Application Tooling for Raychem Heat Shrink Product

English

Measuring_Single_Wall_Tubing

English

SST and SST-FR Pages from 9-1773447-9

English

Product Specifications

Quality Specification

English