
1SNL906603R0000 ✔ ACTIVE

TE Internal #: 1SNL906603R0000

Terminal Block & Strip Conducting Accessories, Jumper Bar, 3 Pole, Gray, Product Spacing .236 in [6 mm], -55 – 110 °C [-67 – 230 °F]

View on TE.com >

Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Conducting Accessories



Conducting Accessory Type: **Jumper Bar**

Number of Poles: **3**

Primary Product Color: **Gray**

Product Spacing: **6 mm [.236 in]**

Operating Temperature Range: **-55 – 110 °C [-67 – 230 °F]**

Features

Product Type Features

Conducting Accessory Type	Jumper Bar

Configuration Features

Number of Poles	3

Electrical Characteristics

Current Rating (IEC)	32 A

Body Features

Plastic & Resin Material Type	Polyamide
Product Weight	5.9 g[.208 oz]
Primary Product Color	Gray

Mechanical Attachment

Tightening Torque	5.31 in-lbs

Dimensions

Product Depth	22.2 mm[.874 in]
Product Width	5 mm[.196 in]
Product Length	22.2 mm[.874 in]
Product Height	5 mm[.196 in]
Product Spacing	6 mm[.236 in]

Usage Conditions

Storage Temperature Range	-55 – 110 °C[-67 – 230 °F]
Installation Temperature Range	-5 – 40 °C[23 – 104 °F]
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]

Industry Standards

IP Rating	IP20
UL Flammability Rating	UL 94V-0

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUL 2021 (219) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




TE Part # 1SNL506010R0000
C4/6



TE Part # 1SNL506011R0000
C2.5/6


Customers Also Bought




TE Part #1SNK806010R0000
ZDK4-22



TE Part #1SNA113482R0500
SCM6D



TE Part #1SNL506010R0000
C4/6



TE Part #1SNL508010R0000
C6/8



TE Part #1SNL906602R0000
BJCI6-2



TE Part #1SNL906604R0000
BJCI6-4



TE Part #1SNL906605R0000
BJCI6-5



TE Part #1SNA179671R1300
BJMI6D-5



TE Part #1SNA179726R0200
AJS9

TE Part #1SNA115970R2300
TERMINAL BLOCK M6/8.ST8

Documents

CAD Files

3D PDF

3D

Customer View Model
ENG_CVM_CVM_1SNL906603R0000_A.2d_dxf.zip

English

Customer View Model
ENG_CVM_CVM_1SNL906603R0000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1SNL906603R0000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

SNACOMPACT TERMINAL BLOCKS SCREW CLAMP TECHNOLOGY

English

BJCI6-3

English