PT9600-0600-111-S02 ✔ ACTIVE

MEAS | MEAS PT9600

TE Internal #: 04-0988-0632

TE Internal Description: PT9600-0600-111-S02
PT9EXT, HARSH-ENVIRONMENT SERIES

View on TE.com >

Sensors > Position Sensors > Potentiometer Sensors > Cable Actuated Position Sensors > PT9EXT, HARSH-ENVIRONMENT SERIES



Position Sensor Product Type: **String Encoder**

Full Stroke Range: **15240 mm [600 in]**

Accuracy: **±.04 % of FS**

Repeatability: **.02 % of FS**

Case Material: **Aluminum**

All PT9EXT, HARSH-ENVIRONMENT SERIES (39)

Features

Product Type Features

Position Sensor Product Type	String Encoder

Body Features

Case Material	Aluminum

Dimensions

Full Stroke Range	15240 mm[600 in]

Usage Conditions

Accuracy	±.04 % of FS
Operating Temperature Range	-40 – 90 °C[-40 – 194 °F]

Other

Encoder Drive	Yes
Repeatability	.02 % of FS
Measuring Cable	.034 Inch Dia Nylon-Coated Stainless Steel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions

EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one (5.3% in 20973981313) Methanone, (diphenylphosphinyl)(2,4,6-trimethylphenyl)- (1% in Component Part) Pb (70% in Component Part) **Article Safe Usage Statements:** Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Also in the Series | MEAS PT9600



Cable Actuated Position Sensors(287)

Documents

Datasheets & Catalog Pages

PT9600ex

English

PT9600-0600-111-S02