Data Sheet | Item Number: 211-924

Nozzles; Length: 23 mm; For the use of 211-821; halogenated; Cable outer diameter: 4.0 … 7.0 mm; transparent

https://www.wago.com/211-924





Color: ☐ transparent

Technical data	
Suitable	for wire diameter 4 … 7 mm
Delivery form	Component
Properties	for one 211-821 marker
Printing device	Smart Printer (thermal transfer printer)

Physical data	
Length	23 mm

Mechanical data	
Mounting type	Sliding on conductor

Material data	
Color	transparent
Material	Polyvinyl chloride
Adhesive information	without adhesive
Halogen-free	No
Weight	0.8 g
Fire load	0 MJ

Environmental requirements	
Ambient temperature (storage)	+5 … +40 °C
Ambient temperature (operation)	-15 … +70 °C
Relative humidity	40 … 80 %

Continued on next page

Commercial data

PU (SPU)	500 pcs
Packaging type	Bag
Country of origin	IT
GTIN	4055143381185
Customs tariff number	39269097900

Product Classification

UNSPSC	39121722
eCl@ss 10.0	27-40-04-01
eCl@ss 9.0	27-40-04-01
ETIM 9.0	EC001530
ETIM 8.0	EC001530
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant,No Exemption

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 211-924

1 Compatible Products

1.1 Required Accessories

1.1.1 Marking

1.1.1.1 Marker



Item No.: 211-821
Marker; for Smart Printer; for use in nozzles; Length: 23 mm; white


Installation Notes

Application



Slide the marker into the marking sleeve receptacle. Replacing the marker is also possible after the conductor has been terminated.

Application



Compress the sleeve and slide it onto the conductor to be marked.