Data sheet

MB M3/M5 CRM

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Product image



Mounting feet are used to mount components that cannot be snapped directly on a DIN rail.

General ordering data

Version	Sliding nut, M 5
Order No.	0503500000
Type	MB M3/M5 CRM
GTIN (EAN)	4008190182083
Qty.	20 ST

MB M3/M5 CRM

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Technical data

Approvals

ROHS	Conform

Dimensions and weights

Depth	14 mm	Depth (inches)	0.5512 inch
Height	25 mm	Height (inches)	0.9842 inch
Width	12 mm	Width (inches)	0.4724 inch
Net weight	3.55 g		

Temperatures

Ambient temperature	-5 °C...40 °C	Continuous operating temp., min.	-50 °C
Continuous operating temp., max.	100 °C		

Environmental Product Compliance

RoHS Compliance Status	Compliant
REACH SVHC	No SVHC above 0.1 wt%

Material data

Material	Polyamide 66	Surface finish	untreated
Colour	Cream	UL 94 flammability rating	V-2

System specifications

Version	For the mounting rails	Rail	TS 32

Additional technical data

Type of fixing	Snap-on	Explosion-tested version	No

Dimensions

Internal thread	M 5	Pitch in mm (P)	12.00 mm

General

Surface finish	untreated	Rail	TS 32

Classifications

ETIM 6.0	EC000096	ETIM 7.0	EC000096
ETIM 8.0	EC000096	ETIM 9.0	EC000096
ETIM 10.0	EC000096	ECLASS 9.0	23-11-08-04
ECLASS 9.1	23-11-08-04	ECLASS 10.0	23-11-08-04
ECLASS 11.0	23-11-07-16	ECLASS 12.0	23-11-07-16
ECLASS 13.0	23-11-07-16	ECLASS 14.0	23-11-07-16
ECLASS 15.0	23-11-07-16		

MB M3/M5 CRM

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings



