**Part Number :** 1300350085
**Product Description :** DeviceNet Mini-Change Tee, 4 Poles, Female/Male with Female Drop
**Series Number :** 130006
**Status :** Active
**Product Category :** Industrial Tees and Splitters
**Engineering Part Number :** DNETAUXPT



## Documents & Resources

### Drawings

1300350085_sd.pdf

## Product Environment Compliance

### Compliance

| | |
|---|---|
| GADSL/IMDS | Not Relevant |
| China RoHS | per SJ/T 11365-2006 |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Contains Lead per D(2024)4144-DC (27 June 2024) |
| EU RoHS | Compliant with Exemption 6(c) per EU 2015/863 |

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

CE - Declaration of Conformity

UKCA - Declaration of Conformity

---

## Part Details

### General

| | |
|---|---|
| Status | Active |
| Category | Industrial Tees and Splitters |
| Series | 130006 |
| Description | DeviceNet Mini-Change Tee, 4 Poles, Female/Male with Female Drop |
| IP Rating | IP67 |
| Product Name | DeviceNet Trunk |
| Type | Power Tap Tee |
| UPC | 78678850378 |

### Agency

| | |
|---|---|
| UL | E152210 |

### Electrical

| | |
|---|---|
| Current - Maximum per Contact | 10.0A |
| Voltage - Maximum | 600V DC |

### Physical

| | |
|---|---|
| Drop Connector | Mini-Change |
| Drop Gender | Female |
| Keyway | Single |
| LED Indicator | None |
| Left Trunk Connector | Mini-Change |
| Left Trunk Gender | Female |
| Leg 1 Length | N/A |

| | |
|---|---|
| Leg 2 Length | N/A |
| Material - Cable Jacket | N/A |
| Material - Connector Body | TPE |
| Material - Coupling Nut | Black Epoxy Coated Zinc |
| Net Weight | 91.625/g |
| Poles | 4 |
| Right Trunk Connector | Mini-Change |
| Right Trunk Gender | Male |
| Temperature Range - Operating | -20°C to +80°C |