**Part Number :** 1300850374
**Product Description :** Woodhead POW-R-MATIC Heavy Duty Cable Reel with Retraction Weight of 7lbs., 12/4 SOW, 42.67m (140.0') Cord Length with Flying Leads
**Series Number :** 130085
**Status :** Active
**Product Category :** Electrical Reels
**Engineering Number :** 92743



## Documents & Resources

## Product Environment Compliance

### Compliance

| | |
|---|---|
| China RoHS | Not Reviewed |
| EU ELV | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC | Not Reviewed |
| EU RoHS | Not Reviewed |

Compliance Statements
- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents
- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest
- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

## Part Details

### General

| | |
|---|---|
| Status | Active |
| Category | Electrical Reels |
| Series | 130085 |
| Description | Woodhead POW-R-MATIC Heavy Duty Cable Reel with Retraction Weight of 7lbs., 12/4 SOW, 42.67m (140.0') Cord Length with Flying Leads |
| Comments | Applications: Vertical Lift, Drag, Recovery and Horizontal Stretch with 10% Sag. |
| Enclosure Rating | NEMA 3R |
| NEMA Configuration | N/A |
| Product Name | POW-R-MATIC |
| Type | Cable Reel |
| UPC | 78678879355 |

### Agency

| | |
|---|---|
| CSA | LR29921 |

### Electrical

| | |
|---|---|
| Current - Maximum per Contact | 14.0A |
| GFCI | No |
| Lamp Wattage - Maximum | N/A |
| On/Off Switch | N/A |
| Voltage - Maximum | 600V |

### Physical

| | |
|---|---|
| Bulb Included | N/A |
| Cable Length | N/A |
| Cable Movement | Ratchet Lock |
| Cord Length | 42.67m (140.0') |
| Cord Type | 12/4 SOW |
| Depth | 0.58m (22.750") |

| | |
|---|---|
| Drum Lock | Ratchet |
| Duty | Heavy |
| Guide Arm | Option Available |
| Height | 0.59m (23.38") |
| Lamp Type | N/A |
| Material - Coating | Powder Coating |
| Material - Housing | Steel |
| Mounting Style | Rigid |
| Number of Conductors | 4 |
| Packaging Type | Carton |
| Primary Cord/Cable Entry | 1" NPT |
| Retraction Weight | 3.2kg (7.0 lb) |
| Width | 527.10mm (20.75") |
| Wire Size (AWG) | 12 |