**Part Number :** 1301530068
**Product Description :** Super-Safeway In-Line Industrial GFCI, Portable, Single Phase, Automatic Reset, NEMA 5-15 Plug & Connector, 15A, 120V, 1.83m (6.0') Cord Length
**Series Number :** 130153
**Status :** Active
**Product Category :** Power Distribution
**Engineering Number :** 15052-6A



## Documents & Resources

### Drawings

1301530068_sd.pdf

## Product Environment Compliance

### Compliance

| | |
|---|---|
| China RoHS | Not Reviewed |
| EU ELV | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC | Not Reviewed |
| EU RoHS | Not Reviewed |

Compliance Statements
- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents
- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest
- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

---

## Part Details

### General

| | |
|---|---|
| Status | Active |
| Category | Power Distribution |
| Series | 130153 |
| Description | Super-Safeway In-Line Industrial GFCI, Portable, Single Phase, Automatic Reset, NEMA 5-15 Plug & Connector, 15A, 120V, 1.83m (6.0') Cord Length |
| Enclosure Rating | NEMA 3R |
| NEMA Configuration | NEMA 5-15 |
| Product Name | Super-Safeway |
| Type | GFCI Industrial Duty, Single Phase |
| UPC | 78678888255 |

### Agency

| | |
|---|---|
| UL | E66308 |

### Electrical

| | |
|---|---|
| Current - Maximum per Contact | 15.0A |
| GFCI | Yes-In-line |
| GFCI Reset | Automatic |
| Ground Continuity Monitor | No |
| Open Neutral Relay | Yes |
| Voltage - Maximum | 125V |

### Physical

| | |
|---|---|
| Cord Diameter | 10.92mm (.430") |
| Cord Grip Body Size | Internal Double C-Clamp |
| Cord Length | 1.83m (6.0') |
| Cord Type | 12/3 SJTW |
| Feed-Thru | Yes |

| | |
|---|---|
| Flip Lid | No |
| Material - Housing | Nylon |
| Mounting Style | Portable |
| Number of Receptacles | 1 |
| Packaging Type | Bag |
| Receptacle Type | N/A |