Cable sleeve - CES-STPG-GY-1ASI-L

1410068

https://www.phoenixcontact.com/pc/products/1410068

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Cable sleeve, small, no. of conductors: 1, type: AS-i cable (Left), slotted, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Product Description

Slotted cable sleeve

Commercial Data


Item number	1410068
Packing unit	10 pc
Minimum order quantity	1 pc
Product Key	BF7CCX
Catalog Page	Page 681 (C-2-2019)
GTIN	4046356776219
Weight per Piece (including packing)	7.72 g
Weight per Piece (excluding packing)	7.72 g
Customs tariff number	40169997
Country of origin	PL

Technical Data

Product properties

Product type	Cable sleeve
No. of conductors	1

Dimensions

Dimensional drawing	
Width	19.5 mm
Height	17 mm
Length	29.5 mm

Material specifications

Color	gray
Material	SEBS
Material	SEBS (halogen-free)
Flammability rating according to UL 94	V0

Characteristics

Conductor sealing range	AS-i cable
Seal size	small
Design, Format	AS-i cable
Design, Cable seal	slotted


Environmental and real-life conditions

Ambient conditions

Degree of protection	IP54
Ambient temperature (operation)	-40 °C ... 80 °C (static)

Drawings

Dimensional drawing



Dimensional drawing

Approvals

cUL Recognized
Approval ID: NITW8.E255026

UL Recognized
Approval ID: NITW2.E255026

cULus Recognized

Classifications

ECLASS

ECLASS-9.0	27144425
ECLASS-10.0.1	27144425
ECLASS-11.0	27144425

ETIM

ETIM 8.0	EC000451

UNSPSC

UNSPSC 21.0	39121400

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Accessories

Sealing frame

Sealing frame - CES-B10-HFFS-PLBK - 0801663

https://www.phoenixcontact.com/pc/products/0801663



Sealing frame with locking latch, size B10, with flat gasket, for 6 small sleeves

Sealing frame

Sealing frame - CES-B16-HFFS-PLBK - 0801662

https://www.phoenixcontact.com/pc/products/0801662



Sealing frame with locking latch, size B16, with flat gasket, for 8 small sleeves

Sealing frame

Sealing frame - CES-B24-HFFS-PLBK - 0801661

https://www.phoenixcontact.com/pc/products/0801661



Sealing frame with locking latch, size B24, with flat gasket, for 10 small sleeves

Sealing frame

Sealing frame - CES-B10-SFFS-PLBK - 0801660

https://www.phoenixcontact.com/pc/products/0801660



Sealing frame with screw locking, size B10, with flat gasket, for 6 small sleeves

Sealing frame

Sealing frame - CES-B16-SFFS-PLBK - 0801659

https://www.phoenixcontact.com/pc/products/0801659



Sealing frame with screw locking, size B16, with flat gasket, for 8 small sleeves

Sealing frame

Sealing frame - CES-B24-SFFS-PLBK - 0801658

https://www.phoenixcontact.com/pc/products/0801658



Sealing frame with screw locking, size B24, with flat gasket, for 10 small sleeves

Phoenix Contact 2022 © - all rights reserved
https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com