molex



**Part Number :** 1301350287
**Product Description :** Super-Safeway Angled Outlet Box, F3 (3/4") Cord Grip Body, Including (2) NEMA 5-15 Duplex Receptacles with Flip Lids & Plug, 1.83m (6.0') Cord Length, 12/3 SOW Cord
**Series Number :** 130135
**Status :** Active
**Product Category :** Power Distribution
**Engineering Part Number :** 3330RL123

## Documents and Resources

## Product Environment Compliance

### Compliance

| | |
|---|---|
| China RoHS | Not Reviewed |
| EU ELV | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC | Not Reviewed |
| EU RoHS | Not Reviewed |

Compliance Statements
- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents
- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest
- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

## Part Details

### General

| | |
|---|---|
| Status | Active |
| Category | Power Distribution |
| Series | 130135 |
| Description | Super-Safeway Angled Outlet Box, F3 (3/4") Cord Grip Body, Including (2) NEMA 5-15 Duplex Receptacles with Flip Lids & Plug, 1.83m (6.0') Cord Length, 12/3 SOW Cord |
| Enclosure Rating | NEMA 4 |
| NEMA Configuration | NEMA 5-15 |
| Product Name | Super-Safeway |
| Type | Angled Outlet Box |
| UPC | 78678828854 |

### Electrical

| | |
|---|---|
| Current - Maximum per Contact | 15.0A |
| GFCI | No |
| GFCI Reset | N/A |
| Ground Continuity Monitor | No |
| Open Neutral Relay | N/A |
| Voltage - Maximum | 125V |

### Physical

| | |
|---|---|
| Cord Diameter | 15.24mm (.600") |
| Cord Grip Body Size | F3 3/4" |
| Cord Length | 1.83m (6.0') |
| Cord Type | 12/3 SOW |
| Feed-Thru | No |
| Flip Lid | Yes |
| Material - Housing | Rubber |
| Mounting Style | Portable |
| Number of Receptacles | 2 |
| Packaging Type | Carton |

| | |
|---|---|
| Receptacle Type | Duplex |